

We are committed to providing [accessible customer service](#).

If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).

Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

**REPORT ON THE 2021 GROUND INDUCED POLARIZATION
SURVEY**

ON THE EGAN PROPERTY,

EGAN, SHERATON, TIMMINS, McEVAY,

BOND and CURRIE TOWNSHIPS,

NTS MAP SHEET 42A/07

LARDER LAKE MINING DIVISION

NORTHEASTERN ONTARIO

**Adam Findley, M.Sc., P.Geo.
Tara Sagriff, B.Sc., P.Geo.**

**LaSalle Exploration Corp.
June 25, 2022**

Table of Contents

SUMMARY	4
1.0 INTRODUCTION.....	6
2.0 PROPERTY DESCRIPTION AND LOCATION.....	7
3.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY	9
4.0 PERMITTING.....	10
5.0 ENVIRONMENTAL CONSIDERATIONS.....	12
6.0 GEOLOGICAL SETTING AND MINERALIZATION	13
6.1 Geological Setting	13
6.1.1 Lower Blake River Assemblage	13
6.1.2 Bradley Lake Pluton	13
6.2 Mineralization	14
6.2.1 Adjacent Properties Mineralization	14
6.2.2 Egan Property Mineralization.....	15
7.0 PREVIOUS WORK	17
8.0 2021 FIELD WORK.....	20
8.1 2021 Induced Polarized Survey.....	20
8.1.1 Survey Results	21
9.0 CONCLUSION AND RECOMMENDATIONS	27
10.0 REFERENCES.....	29
11.0 CERTIFICATE OF QUALIFICATIONS	31
APPENDICES.....	33
Appendix 1: Egan Claims Table	33
Appendix 2: IP Survey Report	42

LIST OF FIGURES

Figure 1: Egan Property Location.....	7
Figure 2: Egan Property Land Tenure.....	8
Figure 3: Egan Property Permits.....	11
Figure 4: Geological Map of Abitibi Greenstone Belt showing gold deposits	14
Figure 5: Gold Showings of the Egan Property.....	16
Figure 6: Line Cutting and IP Survey Grids.....	20
Figure 7: IP Ground Model of Resistivity at 50m vertical depth	22
Figure 8: IP Ground Model of Resistivity at 100m vertical depth	23
Figure 9: IP Ground Model of Chargeability at 50m vertical depth.....	24
Figure 10: IP Ground Model of Chargeability at 100m vertical depth.....	25
Figure 11: IP Axes overlaid onto the Ground Model of Apparent Chargeability	26

SUMMARY

The Egan Property (the “Property”) consists of 449 claim cells comprising 11,720 hectares (117.20 km²) in area and is located 50km East of Timmins, Ontario. Historical work led to the discovering of the E1 gold showing, which contains visible gold associated with quartz stockwork hosted in syenite rocks of the Bradley Lake Syenite as well as the E2 showing (gold in quartz-veins within a mafic host). More recent work by LaSalle Exploration Corp. (“LaSalle”) expanded on historical work and outlined the E3 showing consisting of laminated quartz (+/- carbonate) veins in a 100 metre long, east to east-southeast trending and steeply dipping north dipping shear zones hosted in the mafic to intermediate volcanics of the Lower Blake River assemblage. Locally felsic porphyritic units crosscut these shear zones at various angles. The core of these shear zones is chlorite schist with up to 15%, fine grained disseminated pyrite on the selvages of the quartz veins (Sexton et al., 2021).

In the fall of 2021, an Induced Polarization (IP) survey was completed by Géophysique TMC to follow up on successful field campaigns in 2020 and 2021 that included mapping, prospecting as well as airborne surveys (LiDAR and magnetics; Sexton et al., 2021). Fieldwork took place between October 19 and November 30, covering 64.50 line-km over three (3) cut grids.

Key results include:

- Grid #1 (31.65 line-km IP): Twenty-one (21) IP axes identified with five (5) recommended for future follow up. Axes indicative of shallow, well-defined bodies potentially indicative of altered host rock and/or sheared units that are slightly enriched in disseminated sulphides and/or ferromagnesian minerals.
- Grid #2 (19.475 line-km IP): Twelve (12) IP axes identified with three (3) recommended for future follow up. Prospective axes may represent silicified/altered host units or quartz-carbonate veining that contain a slight enrichment in disseminated sulphides and/or ferromagnesian minerals.
- Grid #3 (13.375 line-km IP): Seven (7) IP axes identified with two (2) recommended for future follow up. Prospective axes appear to be shallowly seated and associated with a magnetic body/structure – remaining open to the east. These axes may indicate a mineralized host (slightly enriched in disseminated sulphides) within a ferromagnesian rich unit +/- quartz-carbonate veining.
- Polarizable anomalies range from weak to strong and are typically linked to moderate to strong increases in resistivity with the lateral continuity generally not exceeding 400m.
- Anomalies are chiefly defined by broad resistive horizons where the ground is in positive relief with bedrock outcropping or sub-cropping.

The Egan Property has several key features related to Archean gold deposits. In particular:

1. Structures that intersect at low angles, as around the E1 gold showing.
2. Structures that have changes in the orientation of the strike direction which may have zones of dilation associated, as there is southeast of the E2 gold showing (Area 3).
3. High-grade gold in more than one rock type. The E1 gold showing is hosted in syenite. The E2 and E3 gold showings are hosted in mafic volcanics, tuffs and chlorite schists.
4. Several styles of quartz veins that are related to brittle and ductile deformation in both high strain shear zones and brittle, extensional zones.
5. The gold mineralization on the Property is structurally controlled and exhibits similar geological, structural, and metallogenic characteristics to both quartz-carbonate vein (lode) deposits and felsic intrusive hosted quartz stockwork deposits.

Although the Property is at an early stage of mineral exploration, the prospectivity for significant gold mineralization is very good. More work needs to be completed to determine this.

It is recommended that all the following areas have focussed exploration completed on them:

- 1) The currently known E1, E1-extension, E2, and E3 gold showings, and
- 2) areas that have interpreted structural complexity based on review of the LiDAR, aeromagnetic data, and IP data.

1.0 INTRODUCTION

The Egan Property (the “Property”) originally consisted of 167 optioned claims. An additional 218 claims were added by staking open ground and another 73 claims were acquired through subsequent purchase agreements by LaSalle Exploration Corp. (LaSalle). Several boundary cells were then merged resulting in the final 449 claims (see *Section 2.0*). The resulting Property consists of 449 claim cells comprising 11,720 hectares (117.20 km²) in area. This report covers the Induced Polarization (IP) survey completed on the Property during the fall 2021 field season.

64.50 line-km of IP took place between October 19 and November 20, 2021, covering three (3) grids designated Grid #1, Grid #2, and Grid #3. These grids are located at the center of the Property with line cutting completed from October 2 through November 2, 2021.

The 1983 North American Datum (NAD83) co-ordinate system is used in this report. The Egan Property is within Universal Transverse Mercator (UTM) Zone 17N. Units used are in the International System of Units (SI units).

2.0 PROPERTY DESCRIPTION AND LOCATION

The Egan Property is approximately 50 km east of Timmins and 20 km southwest of Matheson, Ontario covering portions of Egan, Sheraton, McEvay, Timmins, Bond, and Currie Townships. (Figure 1). The Property is 11,720 hectares and centered at approximately 525341 E/5359707 N (UTM coordinates, NAD 83, Zone 17) within National Topographic System (NTS) sheet 42A/07. The Property currently consists of 449 mining cell claims (Figure 2). A list of claims can be found in Appendix 1.

Figure 1: Egan Property Location





Figure 2: Egan Property Land Tenure



3.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

There is excellent access to the eastern and western portions of the Property via all-season gravel Grindstone and Gibson Lake Roads, respectively, which extend 15 to 20 km south from Provincial Highway 101. The central portion of the Property has become more difficult to access with the removal of bridges over Driftwood Creek and an unnamed creek in May 2021 by a local forestry company.

There are numerous ATV/UTV trails that access all parts of the Property via unmaintained logging roads and overgrown trails. Snowmobiles are used during the winter. Roads and trails will need to be upgraded locally as required.

The nearby towns of Porcupine and Matheson, Ontario can provide local accommodations and services to support exploration activities. Additionally, the nearby city of Timmins is a well-established mining center and represents a great source of skilled labor both in exploration and mining activities while also providing access to the necessary equipment to carry out such activities.

The climate of the project area is continental in nature, with cold dry winters (-10 to -35°C) and warm dry summers (+10 to +35°C) with an annual precipitation of ~900mm. Seasonal variations can affect exploration activities, for example, geological mapping, prospecting and most surface geochemical sampling methods cannot be done in the winter, while line cutting, ground geophysical surveys and diamond drilling can access more of the Property in the winter. However, the climate does not significantly hamper exploration activities.

The Property has a gently rolling topography with maximum relief of approximately 30 m. Elevation is typically on the order of 330 m Above Sea Level. In general, the Property is dominated by forest. A portion of the Property has been logged in the past, so some of the present forest is second growth, a mixture of jack pine, spruce, birch, and poplar trees. Portions of the Property have been subjected to clear-cut logging within the past ten years. Much of the Property is covered by significant (>2 m) overburden, and outcrop density is low.

4.0 PERMITTING

The Ontario Mining Act regulations require exploration plans and permits, with graduated requirements for early exploration activities of low to moderate impact undertaken on mining claims, mining leases and licences of occupation. Exploration plans and permits are not required on patented mining claims.


Permit PR-20-000114 allows for Mechanized Drilling (Assembled Weight $\leq 150\text{kg}$), Mechanized Stripping ($>100\text{m}^2$ in 200 metre radius), Pitting and Trenching of Bedrock ($>3\text{m}^3$ in 200 metre radius), Trails (TS). This permit is good through 3 Sept 2023.

Permit PR-20-000009 was acquired when LaSalle optioned the Beyer Property. It allows for Mechanized Drilling (Assembled Weight $\leq 150\text{kg}$), pitting and trenching of Bedrock ($>3\text{m}^3$ in 200 metre radius), and for an Exploration Camp that will accommodate five (5) people. This permit is good through 8 September 2023.

The work covered in this report was conducted under the most recent permits PR-21-000226 and PR-21-000245. PR-21-000226 allows work such as Geophysical Surveys Requiring Generator Type, Line Cutting ($<1.5\text{m}$ width), Mechanized Drilling (Assembled Weight $>150\text{kg}$), Mechanized Stripping ($>100\text{m}^2$ in 200 metre radius) and the creation of trails (TS). This permit is valid until 23 September 2024. Permit PR-21-000245 allows for a Geophysical Survey Requiring the use of a generator, Line Cutting ($<1.5\text{m}$ width), Mechanized Drilling (Assembled Weight $>150\text{kg}$) and trails. This permit is good through 21 September 2024.

LaSalle's proposed work program will consist of the moderate impact activities of line cutting, ground geophysical surveys (i.e., Magnetics and IP), diamond drilling, and trenching to test several known areas of gold mineralization. The current and previous permits are outlined in Figure 3.

Figure 3: Egan Property Permits



5.0 ENVIRONMENTAL CONSIDERATIONS

Based on the work to date, the authors have not found any indication of obvious outstanding or pending adverse environmental issues attached to the Property. No mining or other potentially disruptive work has been carried out on the Property, beyond that described in this report. Therefore, environmental liabilities related to the Property, if any, are negligible.

6.0 GEOLOGICAL SETTING AND MINERALIZATION

6.1 Geological Setting

The Property lies within the Abitibi Greenstone Belt (Figure 4; modified from Ayer et al., 2013) hosted in Archean volcanic and plutonic rocks cut by Proterozoic diabase dykes (Vaillancourt, 2001). Situated between the Cadillac-Larder Lake structural break to the southeast and the Destor-Porcupine structural break to the north-northwest, lithological assemblages of this part of the Abitibi have been well described by Jackson and Fyon (1991), Ayer et. al. (1999a, 1999b), and Vaillancourt (2001).

The dominant units on the Property comprise mafic to intermediate tholeiitic metavolcanic rocks of the Lower Blake River assemblage (previously the Kinojevis assemblage, Ayer et al. 2002) as well as the Bradley Lake Syenite. These units are cut by Proterozoic, north-south striking Matachewan and east-northeast Keweenaw diabase dykes.

6.1.1 Lower Blake River Assemblage

The Lower Blake River assemblage comprises mafic flows, minor rhyolite with sparse interflow metasedimentary rocks (Jackson and Fyon, 1991) and includes localized interbedded iron formations, tuffs, and clastic metasedimentary units (Thompson and Griffis, 1944; Goodwin, 1979; Vaillancourt, 2001). The mafic volcanic units are variably textured, high iron and magnesium tholeiites. Textures can range from variolitic to locally feldspar-phyric (Jensen and Langford, 1985; Fowler et al., 1987; Vaillancourt, 2001). Thin felsic flows near the upper levels of the assemblage have been dated at 2701 ± 3 Ma (Corfu, 1993; Vaillancourt, 2001) and 2701 ± 1 Ma (Berger and Amelin, 1999).

6.1.2 Bradley Lake Pluton

The Bradley Lake Pluton (Syenite) is well exposed in Egan township with parts extending onto the eastern portion of Sheraton Township. Two phases of syenite have been observed and described by Vaillancourt (2001). Additionally, Pyke (1976) outlined a granodioritic phase within the south-eastern portion of the pluton.

The oldest phase has been described as a coarse-grained white unit having a subhedral granular texture with pink hematite stains along fractures. Mafic fractions include diopside, titanite, and magnetite comprising roughly 10% of the rock. Trace nepheline has also been observed (Vaillancourt, 2001). A second phase (based on cross cutting relationships) is pink having a small grain size and a porphyritic texture defined by phenocrysts of K-feldspar and well zoned plagioclase. The mafic component consists chiefly of diopside and is far less abundant than in the older phase. Minor to trace amounts of epidote, titanite, magnetite, and andradite have been observed (Vaillancourt, 2001).


6.2 Mineralization

6.2.1 Adjacent Properties Mineralization

The most prominent mineralization in the adjacent townships is base metal (zinc, copper, and lead) hosted in the calc-alkaline rocks of the Tisdale assemblage. PGE showings are hosted in a mafic to ultramafic intrusion in Nordica Twp. The most significant zones are:

- Cross-Lake Zn, Cu, Pb, Au, Ag Zone
- Dougherty Lake Zn and Cu Zone, and
- Nordica Intrusion PGE's

Figure 4: Geological Map of Abitibi Greenstone Belt showing gold deposits



The Cross-Lake Zone is located in western portion of Sheraton Twp. and was discovered from the drilling of airborne electromagnetics ("AEM") anomalies. The sphalerite, chalcopyrite, silver, and galena mineralization are hosted in felsic to intermediate tuffs and lapilli tuffs in strongly sericitized and silicified zones (Vaillancourt, 2001). The best assay values range from 1 to 6% Zn, 1-3% Cu, multi-ounces of Ag over zones that over widths of 1 to 10 metres in drill core.

The Dougherty Lake Zone is in Timmins Twp. and was discovered from the drilling of airborne electromagnetics ("AEM") anomalies. The sphalerite and chalcopyrite mineralization are hosted in felsic to intermediate flows and tuffs associated with strongly sheared, sericitized and silicified zones (Vaillancourt, 2001). The best assays values range from up to 1.4% Zn and 0.4% Cu over widths of up to 1 metre in drill core.

Anomalous values have been obtained from the mafic-ultramafic layered Nordica intrusion in Nordica Twp. (Vaillancourt, 2001). Pd and Pt values up to 990 ppb and 210 ppb have been reported.

6.2.2 Egan Property Mineralization


The Egan Property currently contains only gold mineralization, which occurs in three areas, that are referred to as E1, E2, and E3 (Figure 5).

The E1 style mineralization consists of stockwork and flat quartz-carbonate veins in a 40 metre long, northeast trending, northwest dipping shear zone hosted in the Bradley Lake Syenite. The zone widens from 1 metre to about 10 metres before it is covered by thick overburden.

The E2 style mineralization consists of laminated quartz (+/- carbonate) veins in a 100 metre long, east to southeast trending and steeply dipping northeast dipping shear zone hosted in the mafic to intermediate volcanic flows, lapilli tuffs and tuffs of the Lower Blake River assemblage.

The E3 style mineralization consists of laminated quartz (+/- carbonate) veins in a 100 metre long, east to east-southeast trending and steeply dipping north dipping shear zones hosted in the mafic to intermediate volcanics of the Lower Blake River assemblage that are locally crosscut by felsic porphyries, which are likely related to the Bradley Lake Syenite.

Figure 5: Gold Showings of the Egan Property



7.0 PREVIOUS WORK

Documented historical work on the Property is limited and summarized below:

- In **1916** work by Lightning River Gold Mines Limited (Ferguson, et.al., 1971) reported low grade gold values in mafic volcanics intruded by porphyry dykes and a zone of quartz stringers with pyrite that was about 100 feet wide. This is the current E2 gold showing.
- In **1947** Butler completed four (4) diamond drill holes totaling 354 feet on Legacy claim 34452 located in the SE corner of Sheraton Twp and NE corner of Timmins Twp. Sulphide mineralization was noted; however, no assays were reported (Afri file 42A07SE0017).
- In **1965** Kam-Kotia Mines Ltd conducted an EM/Mag survey in Sheraton Twp, on the West side of the Property (Afri file 42A07NE0237).
- In **1967** R. Jarvi completed a geochemical and two (2) diamond drill hole program totaling 1006 ft on the east side of Sheraton Twp. No significant results were noted in the assays (Afri files 42A07NE8881 and 42A07NE8890).
- In **1967** and EM/MAG survey was conducted by A.L. Parres, Northland Trust Co. Ltd. On the Jarvi Option in Sheraton Twp.
- In **1976** M. Morin completed geological mapping and a ground EM/Mag survey on 6 claims known as the Blanchette/Porcupine Property on SE corner of Sheraton Twp and NE Corner of Timmins Twp.
- In **1981** Johns-Manville Canada Inc performed a ground geophysical EM/Mag survey on the Blanchette Claims in Egan and Timmins Twp (Afri file 42A07NE0227).
- In **1983**, the Ontario Paper Co Ltd, Shogrin Min Inc conducted a geochemical, geological, ground Mag, Prospecting and VLF survey on three separate claims across the Property (Afri file 42A10SE8887).
- In **1983**, the Ontario Geological Survey carried out a combined airborne magnetic and EM survey in the Black River-Matheson area which included Egan Township. This survey consisted of 200 metre spaced, north south flight lines.
- In **1987**, Placer Dome Ltd. completed ground magnetic and VLF surveys over a group of 14 claims in west central Egan Township which included parts of the present Property located in lot 9. The surveys were carried out along north-south lines spaced at 100 metres and picketed at 25 metres (Afri file 42A07NE0223.).
- In late **1997**, HLEM and magnetic surveys were carried out over Egan Township Property for Absolut Resources Limited. The magnetic survey defined several north-south striking diabase dykes and a volcanic-intrusive contact (Afri file 42A07NE2008).

- In **1992** and **1994**, D. Demarchi conducted a series of surveys including geology, Prospecting, Stripping, Assaying, line cutting and ground Magnetic/Magnetometer surveys over claims in the southeast portion of the Property. The best results were from the 3 grab samples, which ranged from 0.75 to 16.32 g/t gold, and the 23 chip samples in bedrock trenches which returned gold assays that ranged from 0.68 to 22.90 g/t (Afri files 42A07NE0204 and 42A07SE0003).
- In **2000**, a series of Total field Airborne Surveys were conducted over the Kirkland Lake and Matheson Area by the OGS which covers the entire Property.
- In the summer and fall of **2017** a prospecting program was initiated over select areas of the Property by Shelly Moretti, Charles Peever, and Randall Salo. A total of 32 samples were collected and work was filed for assessment (Moretti, S., 2019). This work led to the discovery of the E1 showing with the highest gold value returned at 57.1 g/t (Au).
- In the summer of **2018**, Prosper Gold Corp. carried out a diamond drill program on Legacy claim ID 4287167, around the main showing UTM Zone 17 N 523750E 5362060N. Five shallow holes were drilled (Prosper Gold Corp., 2018) in the immediate area of the E1 showing. Drill holes E-001, 002 and 003 intersected narrow, high- grade intervals of quartz veins in hematite altered syenite. The results ranged from 1.42 to 16.60 g/t gold over drill core intervals of 0.15 to 1.0 metre. The narrowest intersection was 16.60 g/t over 0.15 metres with the widest intersection being 4.23 g/t over 1.0 metres. The recommendations for follow-up work consisted of grassroots prospecting, geological mapping, and stripping to refine the bedrock geology in the region and locate nearby control structures (Afri file 20000017248).
- In **2019**, previous property owners R. Salo, S. Moretti, and C. Peever conducted prospecting and rock sampling proximal to trenches from the historic E2 showing. 43 samples were collected for assay highlighted by elevated gold assays of 19.3, 16.6, and 15.3 g/t Au. In addition, 40 B-horizon soil samples were collected east of the E1 showing. This program yielded anomalous gold values of 18, 14, and 10 ppb Au as well as eight (8) samples ranging between 5-9 ppb Au (Sexton et al., 2021)
- In **2020**, two phases of work were conducted on the Property. During phase one, R. Salo, S. Moretti, and C. Peever conducted stripping/trench sampling at E1 as well as a soil sampling program. The trenching program exposed syenite hosting quartz veins over an area of 25 metres x 40 metres. 82 samples were taken highlighted by 47.6, 67.2, 105.0, and 20.0 g/t Au (Sexton et al., 2021). 63 B-horizon soil samples were taken highlighted by anomalous values of 102, 69, and 52 ppb Au. Remaining samples ranged from detection limit to 34 ppb Au. The second phase was conducted by GeoVector Management Inc. and comprised mapping and prospecting. 66 samples were collected highlighted by a 27.4 g/t Au sample taken at the E1 showing (Sexton et al., 2021).

- In spring **2021**, LaSalle commissioned LiDAR Services International Inc. to conduct a 222 line-km (117 km²) aerial LiDAR (Light Detection and Ranging) survey on the Property (Sexton et al., 2021).
- In spring **2021**, LaSalle commissioned Precision GeoSurveys to conduct an 827 line-km (74.9 km²) high-resolution helicopter-borne magnetic gradiometer survey (Sexton et al., 2021)
- In spring **2021**, LaSalle completed a prospecting, geological mapping, and geological sampling program resulting in the collection of 141 rock samples. Of these samples, five (5) returned assays of greater than 1 g/t gold (Sexton et al., 2021).


8.0 2021 FIELD WORK

8.1 2021 Induced Polarized Survey

LaSalle engaged Géophysique TMC (TMC) to conduct an Induced Polarization (IP) survey over three (3) grids in the central portion of the Property from October 19 and November 20, 2021. Line cutting was completed by Explo logic Inc. commencing October 2 through November 2, 2021. A total of 78.25 line-km was cut which includes the tie lines and base line connecting the three grids on which the IP survey was conducted (Figure 6). Grid #1 comprises 19 lines (L1200E to L4800E) oriented N0°/N180° spaced every 200m and ranging in length from 0.95 km and 2.35 km. For this grid, a total of 31.65 line-km IP was covered. Grid #2 comprises seven (7) lines (L3200E to L4400E) oriented N0°/N180° spaced every 200m and ranging in length from 2.70 km and 2.85 km. For Grid #2, a total of 19.475 line-km IP was covered. Grid #3 comprises seven (7) lines (L5700E to L6900E) ranging in length between 1.475 and 2.075 km. A total of 13.375 line-km IP was covered on this grid.

For a complete description of methodology, survey specifications, and equipment used please refer to the contractor's report in Appendix 2.

Figure 6: Line Cutting and IP Survey Grids



8.1.1 Survey Results

Figures 7 to 11 show bedrock resistivity and chargeability signatures at 50 m and 100 m vertical depths.

Grid #1

The central portion of the survey zone is characterized by weak chargeability values. The western and eastern portions of the grid show moderate to high polarizable anomalies (Figure 11). Twenty-one (21) IP axes (IPE1-1 to IPE1-21) have been delineated on this grid with targets/bodies or structures relatively well defined and shallow seated or sub-cropping. Five (5) axes were suggested for future follow-up (Appendix 2) with anomalies potentially indicative of altered host rock and/or sheared units that are slightly enriched in disseminated sulphides and/or ferromagnesian minerals.

Grid #2

Several weak to moderate polarizable anomalies are identified in the northern part of the grid (Figures 9-11). An ~E-W oriented moderate to high anomaly is exposed in the southern portion of the grid (Figures 9-11). These anomalies/anomalous regions are coincident with resistive horizons and likely coincide with grounds in positive relief (Appendix 2). Twelve (12) IP axes (IPE2-1 to IPE2-12) have been delineated on this grid with targets/bodies or structures relatively well defined and shallow seated. The depth of the axes in the northern half of the grid appears to be limited (Appendix 2). Three (3) axes were suggested for future follow-up which may represent silicified/altered host units or quartz-carbonate veining that contain a slight enrichment in disseminated sulphides and/or ferromagnesian minerals (Appendix 2).

Grid #3

The resultant survey over this grid shows a broad, weak to moderate polarizable region on the eastern portion of the grid (Figure 9 to 11). The southern portion shows several high to very-high chargeability anomalies (Figure 11). The broad nature of the anomalies on the eastern part of the grid is correlated with a resistivity high and likely with ground in positive relief (Appendix 2). In the south, there appears to be a direct relationship with a thick magnetic structure or host. Seven (7) IP axes (IPE3-1 to IPE3-7) have been delineated over the grid and appear to be well defined/resolved and shallow seated. Two (2) axes have been suggested for future follow-up and they lie in the southeastern portion of the grid. The axes appear to be shallowly seated and associated with a magnetic body/structure – remaining open to the east. These axes may indicate a mineralized host (slightly enriched in disseminated sulphides) within a ferromagnesian rich unit (+/- quartz-carbonate veining; Appendix 2).

Figure 7: IP Ground Model of Resistivity at 50m vertical depth on LiDAR background




Figure 8: IP Ground Model of Resistivity at 100m vertical depth on LiDAR background




Figure 9: IP Ground Model of Chargeability at 50m vertical depth on LiDAR background




Figure 10: IP Ground Model of Chargeability at 100m vertical depth on LiDAR background





Figure 11: IP Axes overlaid onto the Ground Model of Apparent Chargeability at 50m vertical depth



9.0 CONCLUSION AND RECOMMENDATIONS

LaSalle engaged Géophysique TMC (TMC) to conduct an Induced Polarization (IP) survey over three (3) grids in the central portion of the Property from October 19 and November 20, 2021. Line cutting was completed from October 2 through November 2, 2021. This work resulted in 64.5 line-km of IP coverage.

Key results include:

- Grid #1 (31.65 line-km IP): Twenty-one (21) IP axes identified with five (5) recommended for future follow up. Axes indicative of shallow, well-defined bodies potentially indicative of altered host rock and/or sheared units that are slightly enriched in disseminated sulphides and/or ferromagnesian minerals.
- Grid #2 (19.475 line-km IP): Twelve (12) IP axes identified with three (3) recommended for future follow up. Prospective axes may represent silicified/altered host units or quartz-carbonate veining that contain a slight enrichment in disseminated sulphides and/or ferromagnesian minerals.
- Grid #3 (13.375 line-km IP): Seven (7) IP axes identified with two (2) recommended for future follow up. Prospective axes appear to be shallowly seated and associated with a magnetic body/structure – remaining open to the east. These axes may indicate a mineralized host (slightly enriched in disseminated sulphides) within a ferromagnesian rich unit +/- quartz-carbonate veining.
- Polarizable anomalies range from weak to strong and are typically linked to moderate to strong increases in resistivity with the lateral continuity generally not exceeding 400m.
- Anomalies are chiefly defined by broad resistive horizons where the ground is in positive relief with bedrock outcropping or sub-cropping.

The Egan Property has several key features related to Archean gold deposits. In particular:

1. Structures that intersect at low angles, as around the E1 gold showing.
2. Structures that have changes in the orientation of the strike direction which may have zones of dilation associated, as there is southeast of the E2 gold showing
3. High-grade gold in more than one rock type. The E1 gold showing is hosted in syenite. The E2 and E3 gold showings are hosted in mafic volcanics, tuffs and chlorite schists.
4. Several styles of quartz veins that are related to brittle and ductile deformation in both high strain shear zones and brittle, extensional zones.
5. The gold mineralization on the Property is structurally controlled and exhibits similar geological, structural, and metallogenic characteristics to both quartz-carbonate vein (lode) deposits and felsic intrusive hosted quartz stockwork deposits.

Although the Property is at an early stage of mineral exploration, the prospectivity of significant gold mineralization is very good. Significantly more work needs to be completed to determine this.

It is recommended that all the following areas have focussed exploration completed on them:

- 1) The currently known E1, E1-extension, E2, and E3 gold showings, and
- 2) areas that have interpreted structural complexity based on review of the LiDAR, aeromagnetic data, and IP data.

The following work is recommended for the above noted areas. This work should be completed over the 2022-2023 period:

- 1) Review priority IP axes along with results from previous field campaigns,
- 2) Field investigation of highest priority targets in conjunction with Property wide mapping/sampling program,
- 3) Stripping and trenching around the known showings,
- 4) Soil and till sampling in areas not covered by clay and glacial outwash deposits,
- 5) Identify areas for additional Dipole-Dipole IP surveys to expand on the 2021 results,
- 6) Cut additional survey grids at 100m or 200m spacing + perform additional IP surveys,
- 7) Diamond drill testing of the highest priority targets defined by positive results of the above surveys.

10.0 REFERENCES

Absolut Resources, 1998. Report on a grid cutting, ground EM and Magnetic Surveys. Egan Township, ON., Afri file 42A07NE2008.

Ayer, J.A., Trowell, N.F., Amelin, Y. and Corfu, F. 1999a. Geological compilation of the Abitibi Greenstone belt in Ontario: toward a revised stratigraphy based on compilation and new geochronology results; in Summary of Field Work and Other Activities, Ontario Geological Survey, Miscellaneous Paper 169, p. 14-24.

Ayer, J.A., Trowell, N.F., Madon, Z., Kamo, s., Kwok, Y.Y. and Amelin, Y. 1999b. Compilation of the Abitibi Greenstone belt in the Timmins-Kirkland Lake area: revisions to stratigraphy and new geochronology results; in Summary of Field Work and Other Activities, Ontario Geological Survey, Open File Report 6000, p. 4-1 to 4-14.

Ayer, J.A., Ketchum, J.W.F. and Trowell, N.F. 2002. New geochronological and neodymium isotope results from the Abitibi greenstone belt, with emphasis on timing and the tectonic implications of Neoarchean sedimentation and volcanism; Ontario Geological Survey, Summary of Field Work and Other Activities, 2002, Open File Report 6100, p. 5-1 to 5-16.

Ayer, J.A., Barrett, T.J., Creaser, R.A., Hamilton, M.A., Lafrance, B. and Stott, G.M. 2013. Section 1: Shining Tree and Gowganda Archean gold study and northern Cobalt Embayment proterozoic vein study; report in Results from the Shining Tree, Chester Township and Matachewan Gold Projects and the Northern Cobalt Embayment Polymetallic Vein Project, Ontario Geological Survey, Miscellaneous Release—Data 294.

Berger, B. and Amelin, Y. 1999. Geological investigations along highway 101; Guibord, Michaud and Garrison townships; in Summary of Field Work and Other Activities, Ontario Geological Survey, Miscellaneous Paper 169, p. 25-32.

Butler, 1947. Report on a Diamond Drilling Program. Egan Township, ON., Afri file 42A07SE0017.

Corfu, F., 1993. The evolution of the southern Abitibi Greenstone belt in light of precise U-Pb geochronology; *Economic Geology*, v.88, p. 1323-1340.

Demarchi, D. 1992. Report on a trenching, geochemistry and geophysical surveys, Egan Township, ON., Afri file 42A07NE0204.

Demarchi, D. 1994. Report on a trenching, stripping, and mapping, Egan Township, ON., Afri file 42A07SE0003.

Ferguson, S.A., Groen, H.A. and Haynes, R. 1971. Gold Deposits of Ontario; Ontario Department of Mines, Mineral Resources Circular No. 13. p.127.

Fowler, A.D., Jensen, L.S. and Peloquin, S.A. 1987. Varioles in Archean basalts: products of spherulitic crystallization; *Canadian Mineralogist*, v.25, p.275-289

Goodwin, A.M., 1979, Archean volcanic studies in the Timmins-Kirkland Lake-Noranda region of Ontario and Quebec: Geological Survey of Canada Bulletin 278, 51 p.

Jackson, S.L. and Fyon, J.A., 1991. The Western Abitibi subprovince in Ontario; in *Geology of Ontario*, Special Volume 4, Part 1, p. 405-482.

Jarvi, A. 1967. Report on geochemical and diamond drilling work, Sheraton Township, ON., Afri files 42A07NE8881 and 42A07NE8890.

Jensen, L.S., and Langford, F.F., 1985, Geology and petrogenesis of the Archean Abitibi belt in the Kirkland Lake area, Ontario: Ontario Geological Survey Miscellaneous Paper 123, 130 p.

Johns-Mannville, 1981. Report on a ground EM and Magnetic Surveys. Egan and Timmins Townships, ON., Afri file 42A07NE0227.

Kam-Kotia Mines Ltd., 1965. Report on a ground EM and Magnetic Surveys. Sheraton Township, ON., Afri file 42A07NE0237.

Moretti, S., 2019. Prospecting Report on the Egan Gold Property, Egan Township, Timiskaming District, Larder Lake Mining Division, Northeastern ON., Afri file 20000017276.

Ontario Paper Co. Ltd. and Shogrin Min. Inc., 1983. Report on a ground Magnetic, VLF, geochemical, geology and prospecting surveys. Stock Township, ON., Afri file 42A10SE8887.

Placer Dome Ltd., 1987. Report on a ground VLF Survey. Sheraton Township, ON., Afri file 42A07NE0223.

Prosper Gold Corp., 2018. Report on diamond drilling and assays. Egan Township, ON., Afri file 20000017248.

Pyke, D.R., 1976. Watabeag River area, districts of Timiskaming and Cochrane, Ontario Division of Mines, Preliminary Map P.1078, scale 1:63,000.

Salo, R., 2019 – Internal Report.

Sexton, A., Findley, A., Sagriff, T., Chadwick, T., 2021. Report on 2019-2020 Field Work on the Egan Property, Egan, Sheraton, Timmins, McEvay, Bond, and Currie Townships, Larder Lake Mining Division, Northeastern ON, 265p.

Thompson, J.E. and Griffis, A.T. 1944. Geology of Gauthier Township, east Kirkland Lake area; in Ontario Department of Mines Annual Report, 1941, Ontario Department of Mines, v.50, pt. 8, 29p

Vaillancourt, C., 2001. Precambrian Geology of the Watabeag Lake Area; Ontario Geological Survey, Open File Report 6042, 61p.


11.0 CERTIFICATE OF QUALIFICATIONS

I, Adam Findley, M.Sc., P.Geo. of 921 Eastboro Avenue, Orleans, ON, hereby certify that:

1. I am a graduate of University of Ottawa having obtained the degree of Bachelor of Science – Honours Geology in 2007.
2. I am a graduate of Queens University having obtained the degree of Masters of Science in Geology in 2010.
3. I have been employed during the 2006-2009 summer field seasons; I have been continually employed as a geologist since 2010.
4. I am a member of the Professional Geoscientists of Ontario (PGO), licence #2852, and use the designation P.Geo. I am a member of the Northwest Territories and Nunavut Association of Professional Engineers and Geoscientists (NAPEG), license L3968.
5. I contributed to writing this assessment report.

Signed and dated this 25th day of January 2022 at Ottawa, Ontario.



Adam Findley, M.Sc., P. Geo



I, Tara-Lynn M. Sagriff, B.Sc., P.Geo. of 7 Bylot Court, Kanata, Ontario, hereby certify that:

1. I am currently a consulting geologist for LaSalle Exploration Corp.
2. I am a graduate of Carleton University having obtained the degree of Bachelor of Science Geology in 1994.
3. I have been employed as a geologist since May 1994.
4. I am a member in good standing of the Professional Geoscientists of Ontario (PGO), member # 2940
5. I contributed to the writing of this assessment report.

Signed and dated this 25th Day of January 2022 at Ottawa, Ontario.


Tara Sagriff, B.Sc., P.Geo.



Appendix 1: Egan Claims Table

Count	Tenure ID	Township	Title Type	Tenure Status	Anniversary Date	Holder	Area (ha)	Work Required
1	101928	Egan	SCMC	Active	2022-10-24	LaSalle Exploration Corp	21.41	400
2	106609	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	200
3	111536	Egan	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
4	116277	Sheraton, Timmins	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
5	120461	Egan, Sheraton	SCMC	Active	2022-10-23	LaSalle Exploration Corp	21.42	400
6	128910	Egan	SCMC	Active	2022-10-24	LaSalle Exploration Corp	21.42	400
7	132803	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	200
8	132840	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.44	200
9	133296	Egan, Sheraton	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400
10	134675	Egan	SCMC	Active	2022-07-19	LaSalle Exploration Corp	21.42	200
11	134676	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	200
12	136198	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
13	136199	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
14	137216	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400
15	137217	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400
16	142225	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
17	145687	Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
18	151307	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	400
19	159799	Egan, Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
20	160129	Egan, Sheraton	SCMC	Active	2022-10-23	LaSalle Exploration Corp	21.42	400
21	161548	Sheraton	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
22	164203	Egan	SCMC	Active	2022-10-24	LaSalle Exploration Corp	21.41	400
23	164522	Egan, Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
24	164523	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
25	167554	Egan, Sheraton	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
26	170096	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	200
27	178025	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	400
28	180404	Sheraton	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
29	184831	Egan	SCMC	Active	2023-01-03	LaSalle Exploration Corp	21.43	400
30	184846	Egan	SCMC	Active	2022-12-05	LaSalle Exploration Corp	21.43	400
31	184848	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
32	184849	Egan, Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
33	184850	Egan, Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
34	188175	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
35	192350	Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
36	192351	Egan, Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
37	193804	Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
38	198137	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	400
39	198719	Egan	SCMC	Active	2022-07-19	LaSalle Exploration Corp	21.42	400
40	198850	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400
41	200366	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
42	200367	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
43	204942	Sheraton, Timmins	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
44	206852	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400
45	206853	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	200
46	212093	Egan	SCMC	Active	2022-10-24	LaSalle Exploration Corp	21.41	400
47	213783	Egan	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
48	218969	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	200
49	218970	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400

Count	Tenure ID	Township	Title Type	Tenure Status	Anniversary Date	Holder	Area (ha)	Work Required
50	224616	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	200
51	224617	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.44	400
52	224618	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.44	400
53	230895	Egan	SCMC	Active	2022-10-24	LaSalle Exploration Corp	21.41	400
54	230896	Egan	SCMC	Active	2022-10-24	LaSalle Exploration Corp	21.42	400
55	232648	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
56	232649	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	200
57	234283	Sheraton	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
58	234284	Sheraton	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
59	235409	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.41	400
60	235969	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
61	236831	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
62	244766	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	200
63	252157	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.44	400
64	252158	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
65	252159	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.44	400
66	255459	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
67	255460	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
68	255461	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
69	256535	Egan	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.42	400
70	258218	Sheraton	BCMC	Active	2022-10-23	LaSalle Exploration Corp	1.20	200
71	259569	Egan	SCMC	Active	2022-10-24	LaSalle Exploration Corp	21.41	200
72	262470	Egan,Timmins	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
73	270934	Egan,Sheraton,Timmins	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
74	272125	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.41	400
75	272126	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	400
76	272859	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400
77	272860	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400
78	280652	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
79	284767	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	400
80	285494	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400
81	292040	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
82	296931	Egan	SCMC	Active	2022-10-24	LaSalle Exploration Corp	21.42	400
83	298355	Egan,Sheraton	SCMC	Active	2022-10-23	LaSalle Exploration Corp	21.41	400
84	301314	Egan	SCMC	Active	2022-11-08	LaSalle Exploration Corp	21.41	200
85	301401	Egan	SCMC	Active	2022-12-05	LaSalle Exploration Corp	21.43	400
86	303237	Egan	SCMC	Active	2022-07-19	LaSalle Exploration Corp	21.42	400
87	304160	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
88	304161	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
89	308291	Egan,Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
90	310944	Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
91	316483	Egan,Timmins	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
92	319953	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400
93	327187	Egan,Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
94	327188	Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
95	327201	Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
96	333609	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	400
97	335924	Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
98	335925	Sheraton	SCMC	Active	2022-10-12	LaSalle Exploration Corp	21.42	400
99	339598	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	400
100	339629	Egan	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400

Count	Tenure ID	Township	Title Type	Tenure Status	Anniversary Date	Holder	Area (ha)	Work Required
101	342924	Egan,Sheraton	SCMC	Active	2022-07-13	LaSalle Exploration Corp	21.43	400
102	511934	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.43	400
103	511935	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.43	400
104	511936	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.43	400
105	511937	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.43	400
106	511939	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.43	400
107	511940	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.43	400
108	511943	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.43	400
109	511944	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
110	511945	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
111	511946	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
112	511947	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
113	511948	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
114	511949	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
115	511950	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
116	511951	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
117	511952	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
118	511953	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
119	511954	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
120	511955	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
121	511956	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
122	511957	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
123	511958	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
124	511959	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
125	511960	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
126	511961	Egan	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
127	511962	Egan,McEvay	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
128	511963	Egan,McEvay	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
129	511964	Egan,McEvay	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
130	511965	Egan,McEvay	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
131	511966	Egan,McEvay	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
132	511967	Egan,McEvay	SCMC	Active	2023-04-10	LaSalle Exploration Corp	21.44	400
133	557562	Egan,McEvay	MCMC	Active	2022-11-08	LaSalle Exploration Corp	85.76	1600
134	557563	Egan	MCMC	Active	2022-11-08	LaSalle Exploration Corp	107.18	1800
135	557564	Egan	MCMC	Active	2022-11-08	LaSalle Exploration Corp	150.02	2600
136	557565	Egan	MCMC	Active	2022-11-08	LaSalle Exploration Corp	64.29	800
137	557606	Egan	MCMC	Active	2022-09-13	LaSalle Exploration Corp	42.87	800
138	566252	Egan	MCMC	Active	2022-12-08	LaSalle Exploration Corp	128.61	2400
139	566263	Egan	SCMC	Active	2022-12-08	LaSalle Exploration Corp	21.42	400
140	566264	Egan	SCMC	Active	2022-12-08	LaSalle Exploration Corp	21.42	400
141	566265	Egan	SCMC	Active	2022-12-08	LaSalle Exploration Corp	21.42	400
142	566266	Egan	SCMC	Active	2022-12-08	LaSalle Exploration Corp	21.42	400
143	566267	Egan	SCMC	Active	2022-12-08	LaSalle Exploration Corp	21.42	400
144	566546	Egan	MCMC	Active	2022-12-15	LaSalle Exploration Corp	42.86	800
145	566834	Sheraton	MCMC	Active	2022-12-16	LaSalle Exploration Corp	42.85	800
146	567729	McEvay	MCMC	Active	2022-09-10	LaSalle Exploration Corp	85.77	1600
147	567730	McEvay	MCMC	Active	2022-09-10	LaSalle Exploration Corp	128.66	2400
148	567731	McEvay	MCMC	Active	2022-09-10	LaSalle Exploration Corp	85.77	1600
149	567732	McEvay	MCMC	Active	2022-09-10	LaSalle Exploration Corp	64.34	1200
150	567733	Egan,McEvay	MCMC	Active	2022-12-08	LaSalle Exploration Corp	85.76	1600
151	567734	Egan	MCMC	Active	2022-12-08	LaSalle Exploration Corp	128.63	2400

Count	Tenure ID	Township	Title Type	Tenure Status	Anniversary Date	Holder	Area (ha)	Work Required
152	567735	Egan	MCMC	Active	2022-08-08	LaSalle Exploration Corp	42.85	600
153	567736	Egan	MCMC	Active	2022-11-08	LaSalle Exploration Corp	42.86	800
154	567737	Egan	MCMC	Active	2022-12-05	LaSalle Exploration Corp	42.85	600
155	567756	Egan	MCMC	Active	2022-12-05	LaSalle Exploration Corp	85.72	1600
156	567757	Egan	MCMC	Active	2022-12-05	LaSalle Exploration Corp	42.86	600
157	567758	Egan	MCMC	Active	2022-11-08	LaSalle Exploration Corp	42.86	800
158	567759	Egan	MCMC	Active	2023-04-10	LaSalle Exploration Corp	64.29	1200
159	567760	Egan	MCMC	Active	2023-04-10	LaSalle Exploration Corp	42.87	800
160	567761	Sheraton	MCMC	Active	2022-10-23	LaSalle Exploration Corp	107.10	1400
161	567762	Egan	MCMC	Active	2022-11-08	LaSalle Exploration Corp	85.63	1600
162	567763	Egan	MCMC	Active	2022-11-08	LaSalle Exploration Corp	42.82	800
163	567764	Egan	MCMC	Active	2022-10-24	LaSalle Exploration Corp	42.82	800
164	567765	Egan,Sheraton	MCMC	Active	2022-11-08	LaSalle Exploration Corp	128.47	2200
165	567766	Egan,Sheraton	MCMC	Active	2022-11-08	LaSalle Exploration Corp	85.63	1600
166	567767	Sheraton	MCMC	Active	2022-10-23	LaSalle Exploration Corp	85.66	1600
167	567768	Sheraton	MCMC	Active	2022-10-23	LaSalle Exploration Corp	128.53	2400
168	567769	Sheraton	MCMC	Active	2022-10-23	LaSalle Exploration Corp	64.26	1200
169	567770	Egan	MCMC	Active	2022-10-24	LaSalle Exploration Corp	64.25	1200
170	567771	Egan	MCMC	Active	2022-10-24	LaSalle Exploration Corp	64.26	1200
171	567772	Egan	MCMC	Active	2022-09-21	LaSalle Exploration Corp	85.69	1200
172	567773	Egan	MCMC	Active	2022-09-21	LaSalle Exploration Corp	85.67	1400
173	567774	Egan	MCMC	Active	2022-10-24	LaSalle Exploration Corp	85.69	1600
174	567775	Egan	MCMC	Active	2022-10-24	LaSalle Exploration Corp	42.84	800
175	567776	Egan	MCMC	Active	2022-10-24	LaSalle Exploration Corp	42.85	800
176	567777	Egan	MCMC	Active	2022-12-05	LaSalle Exploration Corp	64.28	1200
177	569130	Egan	MCMC	Active	2022-11-08	LaSalle Exploration Corp	42.87	800
178	569131	Egan	MCMC	Active	2022-11-08	LaSalle Exploration Corp	42.88	800
179	598014	Egan	SCMC	Active	2022-07-06	LaSalle Exploration Corp	21.44	400
180	598015	Egan,McEvay	SCMC	Active	2022-07-06	LaSalle Exploration Corp	21.44	400
181	598016	Egan	SCMC	Active	2022-07-06	LaSalle Exploration Corp	21.44	400
182	598017	Egan	SCMC	Active	2022-07-06	LaSalle Exploration Corp	21.44	400
183	598018	Egan	SCMC	Active	2022-07-06	LaSalle Exploration Corp	21.44	400
184	598019	Egan,McEvay,Timmins	SCMC	Active	2022-07-06	LaSalle Exploration Corp	21.44	400
185	598020	Egan,McEvay	SCMC	Active	2022-07-06	LaSalle Exploration Corp	21.44	400
186	599316	Egan	SCMC	Active	2022-07-15	LaSalle Exploration Corp	21.43	400
187	599317	Egan	SCMC	Active	2022-07-15	LaSalle Exploration Corp	21.43	400
188	599318	Egan	SCMC	Active	2022-07-15	LaSalle Exploration Corp	21.42	400
189	599319	Egan	SCMC	Active	2022-07-15	LaSalle Exploration Corp	21.42	400
190	599320	Egan	SCMC	Active	2022-07-15	LaSalle Exploration Corp	21.41	400
191	599321	Egan	SCMC	Active	2022-07-15	LaSalle Exploration Corp	21.41	400
192	599322	Egan	SCMC	Active	2022-07-15	LaSalle Exploration Corp	21.41	400
193	631586	Timmins	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.44	400
194	631587	McEvay,Timmins	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.44	400
195	631588	McEvay	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.44	400
196	631589	Timmins	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.44	400
197	631590	McEvay,Timmins	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.44	400
198	631591	McEvay	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.44	400
199	631592	Timmins	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.45	400
200	631593	McEvay,Timmins	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.45	400
201	631594	McEvay	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.45	400
202	631595	McEvay	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.45	400

Count	Tenure ID	Township	Title Type	Tenure Status	Anniversary Date	Holder	Area (ha)	Work Required
203	631596	McEvay	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.45	400
204	631597	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
205	631598	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
206	631599	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
207	631600	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
208	631601	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.42	400
209	631602	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
210	631603	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.42	400
211	631604	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
212	631605	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
213	631606	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
214	631607	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
215	631608	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.42	400
216	631609	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
217	631610	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
218	631611	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
219	631612	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
220	631613	Sheraton	SCMC	Active	2023-01-20	LaSalle Exploration Corp	21.43	400
221	632009	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
222	632010	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
223	632011	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
224	632012	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
225	632013	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
226	632014	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
227	632015	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
228	632016	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
229	632017	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
230	632018	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
231	632019	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
232	632020	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.44	400
233	632021	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.45	400
234	632022	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.45	400
235	632023	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.45	400
236	632024	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.45	400
237	632025	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.45	400
238	632026	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.45	400
239	632027	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.45	400
240	632028	McEvay	SCMC	Active	2023-01-22	LaSalle Exploration Corp	21.45	400
241	633793	Sheraton	SCMC	Active	2022-10-23	LaSalle Exploration Corp	21.42	400
242	633794	Egan	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.42	400
243	633795	Sheraton	SCMC	Active	2022-10-23	LaSalle Exploration Corp	21.42	400
244	633796	Sheraton	SCMC	Active	2022-10-23	LaSalle Exploration Corp	21.42	400
245	655331	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
246	655332	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.42	400
247	655333	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.42	400
248	655334	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.42	400
249	655335	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
250	655336	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
251	655337	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
252	655338	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
253	655339	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400

Count	Tenure ID	Township	Title Type	Tenure Status	Anniversary Date	Holder	Area (ha)	Work Required
254	655340	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
255	655341	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
256	655342	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
257	655343	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
258	655344	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
259	655345	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
260	655346	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
261	655347	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
262	655348	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
263	655349	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
264	655350	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
265	655351	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
266	655352	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
267	655353	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
268	655354	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
269	655355	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
270	655356	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
271	655357	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
272	655358	Egan	SCMC	Active	2023-05-08	LaSalle Exploration Corp	21.41	400
273	655382	Egan	SCMC	Active	2023-05-09	LaSalle Exploration Corp	21.41	400
274	655383	Egan	SCMC	Active	2023-05-09	LaSalle Exploration Corp	21.41	400
275	667902	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.43	400
276	667903	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
277	667904	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
278	667905	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
279	667906	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
280	667907	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
281	667908	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
282	667909	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
283	667910	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
284	667911	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
285	667912	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.43	400
286	667913	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.43	400
287	667914	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.43	400
288	667915	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
289	667916	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
290	667917	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
291	667918	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
292	667919	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
293	667920	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
294	667921	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
295	667922	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
296	667923	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
297	667924	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
298	667925	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
299	667926	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
300	667927	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
301	667928	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.43	400
302	667929	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
303	667930	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
304	667931	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400

Count	Tenure ID	Township	Title Type	Tenure Status	Anniversary Date	Holder	Area (ha)	Work Required
305	667932	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
306	667933	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
307	667934	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
308	667935	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
309	667936	Currie,Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.40	400
310	667937	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
311	667938	Bond,Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.40	400
312	667939	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
313	667940	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
314	667941	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
315	667942	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
316	667943	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
317	667944	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
318	667945	Currie,Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.40	400
319	667946	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
320	667947	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
321	667948	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
322	667949	Egan,Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
323	667950	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
324	667951	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
325	667952	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
326	667953	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
327	667954	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
328	667955	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
329	667956	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
330	667957	Currie,Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.40	400
331	667958	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
332	667959	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
333	667960	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
334	667961	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
335	667962	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
336	667963	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
337	667964	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
338	667965	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
339	667966	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
340	667967	Currie,Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.40	400
341	667968	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
342	667969	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
343	667970	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.42	400
344	667971	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
345	667972	Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
346	667973	Bond,Currie,Egan,Sheraton	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.40	400
347	667974	Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.41	400
348	667975	Currie,Egan	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.40	400
349	667976	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
350	667977	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
351	667978	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
352	667979	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
353	667980	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
354	667981	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
355	667982	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400

Count	Tenure ID	Township	Title Type	Tenure Status	Anniversary Date	Holder	Area (ha)	Work Required
356	667983	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
357	667984	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
358	667985	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
359	667986	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
360	667987	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
361	667988	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
362	667989	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
363	667990	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
364	667991	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
365	667992	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
366	667993	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
367	667994	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
368	667995	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
369	667996	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
370	667997	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
371	667998	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
372	667999	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
373	668000	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
374	668001	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
375	668002	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
376	668003	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
377	668004	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
378	668005	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
379	668006	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
380	668007	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
381	668008	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
382	668009	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
383	668010	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
384	668011	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
385	668012	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
386	668013	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
387	668014	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
388	668015	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
389	668016	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
390	668017	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
391	668018	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
392	668019	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
393	668020	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
394	668021	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
395	668022	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
396	668023	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
397	668024	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
398	668025	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
399	668026	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
400	668027	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
401	668028	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
402	668029	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
403	668030	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
404	668031	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
405	668032	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
406	668033	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400

Count	Tenure ID	Township	Title Type	Tenure Status	Anniversary Date	Holder	Area (ha)	Work Required
407	668034	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
408	668035	McEvay,Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
409	668036	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
410	668037	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
411	668038	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
412	668039	McEvay,Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
413	668040	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
414	668041	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
415	668042	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
416	668043	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
417	668044	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
418	668045	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
419	668046	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
420	668047	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
421	668048	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
422	668049	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
423	668050	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
424	668051	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
425	668052	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
426	668053	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
427	668054	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
428	668055	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
429	668056	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
430	668057	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
431	668058	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
432	668059	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
433	668060	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
434	668061	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
435	668062	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
436	668063	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
437	668064	McEvay	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
438	668065	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
439	668066	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
440	668067	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
441	668068	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
442	668069	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
443	668070	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.45	400
444	668071	Timmins	SCMC	Active	2023-07-09	LaSalle Exploration Corp	21.44	400
445	718603	Egan,Sheraton	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
446	718604	Egan	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
447	718605	Egan	SCMC	Active	2022-08-08	LaSalle Exploration Corp	21.44	400
448	718606	Egan,Sheraton	SCMC	Active	2022-09-21	LaSalle Exploration Corp	21.43	400
449	718607	Egan	SCMC	Active	2022-11-08	LaSalle Exploration Corp	21.43	400

BCMC Boundary Cell Mining Claim
SCMC Single Cell Mining Claim
MCMC Multi-cell Mining Claim

Appendix 2: IP Survey Report

**REPORT ON A GROUND
INDUCED POLARIZATION SURVEY
COMPLETED ON THE
EGAN PROJECT
TIMMINS, ONTARIO
SUBMITTED TO
LASALLE EXPLORATION CORPORATION
VANCOUVER, BRITISH COLUMBIA
Ref.: 21C-501, November 2021**

TABLE OF CONTENTS

1. INTRODUCTION	5
2. THE EGAN PROPERTY	6
2.1 Location and Access	6
2.2 Description	6
2.3 Survey Grid	6
3. TECHNICAL SPECIFICATIONS OF THE IP SURVEY	8
3.1 Overview	9
3.2 Induced Polarization Survey	10
3.2.1 Electrode Array	10
3.2.2 Equipment used	10
3.2.3 Calculation of the Apparent Resistivity and Chargeability	12
4. SURVEY DATA PROCESSING	12
4.1 Coordinate System	12
4.2 Induced Polarization Data Processing and Representation	13
4.3 Digital Elevation Model	14
4.4 Deliverable Maps, Grids & Voxels	15
5. INTERPRETATION	17
5.1 Project Overview and Regional Data	17
5.2 Interpretation Methodology	19
5.3 Survey Data Analysis	20
5.3.1 Grid #1	20
5.3.2 Grid #2	22
5.3.3 Grid #3	23
6. CONCLUSION	39

LIST OF TABLES

Table 1	Field Work Production Report	9
Table 2	Local Projection Parameters	12
Table 3	3D IP Inversion, Voxel Model Specifications	14
Table 4	Digital Elevation Model Specifications	15
Table 5	List of Maps, Grids and Voxels	16
Table 6	Comparative Chargeability Values of some Minerals	19
Table 7	IP-RES Interpretation Legend	20
Table 8	IP Survey Specifications and Statistics, Grid #1	21

Table 9	<i>IP Survey Specifications and Statistics, Grid #2</i>	22
Table 10	<i>IP Survey Specifications and Statistics, Grid #3</i>	23
Table 11	<i>Description of the IP Anomalies, Grid #1</i>	29
Table 12	<i>Description of the IP Anomalies, Grid #2</i>	34
Table 13	<i>Description of the IP Anomalies, Grid #3</i>	37
Table 14	<i>Summary of proposed Follow up Work, Grid #1</i>	40
Table 15	<i>Summary of proposed Follow up Work, Grid #2</i>	41
Table 16	<i>Summary of proposed Follow up Work, Grid #3</i>	41
Table 17_1	<i>Anomaly IPE1-5, Parameters of Drillhole IPE15_H1</i>	42
Table 17_2	<i>Anomaly IPE1-7, Parameters of Drillhole IPE17_H1</i>	42
Table 17_3	<i>Anomaly IPE1-13, Parameters of Drillhole IPE113_H1</i>	43
Table 17_4	<i>Anomaly IPE1-15, Parameters of Drillhole IPE115_H1</i>	43
Table 17_5	<i>Anomaly IPE1-20, Parameters of Drillhole IPE120_H1</i>	44
Table 18_1	<i>Anomaly IPE2-1, Parameters of Drillhole IPE21_H1</i>	45
Table 18_2	<i>Anomaly IPE2-6, Parameters of Drillhole IPE26_H1</i>	45
Table 18_3	<i>Anomaly IPE2-9, Parameters of Drillhole IPE29_H1</i>	46
Table 19_1	<i>Anomaly IPE3-1, Parameters of Drillhole IPE31_H1</i>	47
Table 19_2	<i>Anomaly IPE3-2, Parameters of Drillhole IPE32_H1</i>	47

LIST OF FIGURES

Figure 1	<i>General Location</i>	5
Figure 2	<i>Field Work Location on the Egan Property</i>	7
Figure 3	<i>Survey Grid</i>	8
Figure 4	<i>The Pole-Dipole Electrode Array</i>	10
Figure 5	<i>Transmitted Signal at C1-C2</i>	11
Figure 6	<i>Decay Curve Integration Windows at P1-P2</i>	11
Figure 7	<i>Location of the Egan Property and surround Active Mining Camps</i>	17
Figure 8	<i>Regional Geology</i>	18
Figure 9	<i>3D IP Inversion Voxel Models of Resistivity and Chargeability</i>	25
Figure 10	<i>IP Axes overlaid onto the MAG First Vertical Derivative</i>	26
Figure 11	<i>IP Axes overlaid onto the Ground Model of Apparent Resistivity @ 50 m of Vertical Depth</i>	27
Figure 12	<i>IP Axes overlaid onto the Ground Model of Apparent Chargeability @ 50 m of Vertical Depth</i>	28

APPENDICES

LIST OF MAPS (1 / 10,000 Scale)

BASE MAP

C501-1: Survey Grid & Topography

REGIONAL MAGNETIC SURVEY (QMNRF, Sigeom DP2010-05)

- **STANDARD DATA REPRESENTATION**

C501-2A: Total Magnetic Field

C501-2B: First Vertical Derivative

INDUCED POLARIZATION SURVEY

- **IP Pseudo Sections:** Interpreted Apparent Resistivity and Chargeability Pole-Dipole Sections (33) with 2-D Inversion Models of Resistivity and Chargeability (1/ 2, 500 Scale)

- **3D IP INVERSION**

Map C501-3A: Apparent Resistivity, Ground Model @ 50 m of Vertical Depth

Map C501-3B: Apparent Resistivity, Ground Model @ 100 m of Vertical Depth

Map C501-3C: Apparent Chargeability, Ground Model @ 50 m of Vertical Depth

Map C501-D: Apparent Chargeability, Ground Model @ 100 m of Vertical Depth

- **INTERPRETATION**

Map C501-4A: IP Axes overlaid onto the MAG First Vertical Derivative


Map C501-4B: IP Axes overlaid onto the Ground Model of Apparent Resistivity @ 50 m of Vertical Depth

Map C501-4C: IP Axes overlaid onto the Ground Model of Apparent Chargeability @ 50 m of Vertical Depth

1. INTRODUCTION

As part of its ongoing exploration program, LaSalle Exploration Corporation commissioned Géophysique TMC (Ref. Contract O-829) to carry out an induced polarization survey on their Egan project located 50 km east of the town of Timmins in Northern Ontario (Figure 1). The fieldwork took place between October 19th and November 20th, 2021, during which 64.50 line-km of IP were completed (see section 3.1).

Figure 1 *General Location*



The known and sought after mineralisations on this property are gold bearing linked to quartz veins hosted within syenites, mafic volcanics or pyrite-bearing chlorite schists (see section 5.1). The aim of this campaign is to use the geophysical data to help map the mineralised structure and/or to outline the favorable geological settings. As a consulting geophysicist, I was given the following tasks related to the surveys summarised in this report:

- 1) Follow-up of the survey's progress and quality control of the acquired data.
- 2) Final processing and plotting of the survey results, including a 3D inversion of the IP data.

- 3) Survey data analysis, involving a characterisation and classification of the IP anomalies based on available regional data.
- 4) Submitting a thorough technical and interpretation report including recommendations for follow-up work to ascertain the mineral potential of the most favorable geophysical anomalies.

2. THE EGAN PROPERTY

2.1 Location and Access

The Egan property lies 50 km east of the town of Timmins in northern Ontario (Figure 1). The field work area is crisscrossed by secondary roads and logging trails which connect northward to Highway 101 following a 15 to 20 km drive. The mining city of Timmins is then accessed by taking Highway 101 for 50 km westward.

2.2 Description

The Egan property consists of 454 mining claims wholly owned by LaSalle Exploration Corporation. They are located in the Bond, Curry, Egan, Mc Evay, Sheraton and Timmins townships within the confines of NTSC 1/50,000 sheet 42A07. The IP survey was completed on 3 distinct grids located in the heart of the property and arbitrarily named: Grid #1, Grid #2 and Grid #3, as illustrated in Figure 2.

2.3 Survey Grid

The IP survey was completed on 3 distinct grids implemented in the center of the property. The line-cutting work was commissioned to Explo Logik Inc and completed from October 2nd through November 2nd, 2021.

▲ **Grid #1 (Figure 3):** The grid consists of a network of 19 lines oriented N0°/N180° that are regularly spaced every 200 m from L1200E to L4800E, which range in length between 0.95 km and 2.35 km.

▲ **Grid #2 (Figure 3):** The grid consists of a network of 7 lines oriented N0°/N180° that are regularly spaced every 200 m from L3200E to L4400E, which range in length between 2.70 km and 2.85 km.

▲ **Grid #3 (Figure 3):** The grid consists of a network of 7 lines oriented N0°/N180° that are regularly spaced every 200 m from L5700E to L6900E, which range in length between 1.475 km and 2.075 km.

The line network was picketed every 25 meters with wooden stakes. On each of these stakes, the line and station numbers were indicated. The coordinates of some of these pickets, were determined by using a Garmin GPS receiver. This information was ultimately used to geo-reference the IP databases to the UTM zone 17N in the NAD83 datum.

Figure 2 *Field Work Location on the Egan Property*





Figure 3 Survey Grid



3. TECHNICAL SPECIFICATIONS OF THE IP SURVEY

3.1 Overview

The geophysical campaign was commissioned to Géophysique TMC of Val-D'Or on behalf of LaSalle Exploration and lasted from October 19th through November 20th, 2021 during which, 64.50 line-km of IP data were acquired. The survey was completed by Mr. Jonathan Melançon while the fieldwork was under the technical supervision of Simon McCrory, Field Operations Coordinator at TMC (Table 1).

Table 1 *Field Work Production Report*


GRID	IP PRODUCTION REPORT
GRID #1	L12+00E, From Station 175S to 750N = 0.925 km L14+00E, From Station 175S to 750N = 0.925 km L16+00E, From Station 175S to 750N = 0.925 km L18+00E, From Station 200S to 750N = 0.950 km L20+00E, From Station 200S to 750N = 0.950 km L22+00E, From Station 200S to 750N = 0.950 km L24+00E, From Station 1600S to 750N = 2.350 km L26+00E, From Station 1600S to 750N = 2.350 km L28+00E, From Station 1400S to 750N = 2.150 km L30+00E, From Station 1400S to 750N = 2.150 km L32+00E, From Station 1400S to 750N = 2.050 km L34+00E, From Station 1400S to 750N = 2.150 km L36+00E, From Station 1600S to 750N = 2.350 km L38+00E, From Station 1175S to 750N = 1.925 km L40+00E, From Station 1325S to 750N = 2.075 km L42+00E, From Station 1625S to 0 = 1.625 km L44+00E, From Station 1600S to 0 = 1.60 km L46+00E, From Station 1625S to 0 = 1.625 km L48+00E, From Station 1625S to 0 = 1.625 km Total: 31.65 km
GRID #2	L32+00E, From Station 1800N to 4600N = 2.80 km L34+00E, From Station 1800N to 4600N = 2.80 km L36+00E, From Station 1800N to 4650N = 2.850 km L38+00E, From Station 1800N to 4525SN = 2.725 km L40+00E, From Station 1800N to 4600N = 2.80 km L42+00E, From Station 1800N to 4500N = 2.70 km L44+00E, From Station 1800N to 4600N = 2.80 km Total: 19.475 km
GRID #3	L57+00E, From Station 850N to 2900N = 2.05 km L59+00E, From Station 850N to 2900N = 2.05 km L61+00E, From Station 1425N to 2900N = 1.475 km L63+00E, From Station 1125N to 2750N = 1.625 km L65+00E, From Station 825N to 2900N = 2.075 km L67+00E, From Station 850N to 2900N = 2.050 km L69+00E, From Station 850N to 2900N = 2.050 km Total: 13.375 km

3.2 Induced Polarization Survey

3.2.1 Electrode Array

The pole-dipole (PLDP) electrode array was chosen for this induced polarization survey. The nominal a spacing between the electrodes was set to 25 metres and ten separations were read ($a=25\text{m}$, $n=1$ to 10). In the pole-dipole array, the transmitting and receiving electrodes are moved simultaneously along the line (Figure 4).


Figure 4 *The Pole-Dipole Electrode Array*



3.2.2 Equipment used


The induced polarization equipment consisted of a transmitting and receiving apparatus using a commuted signal. A motor generator drove the GDD Instrumentation TX-II transmitter which can supply 3.6 kW of continuous power. Stainless steel electrodes were used to inject a stable current. The bipolar current waveform had an 8-second period with a 50% duty cycle (Figure 5).

Figure 5 **Transmitted Signal at C1-C2**



The primary voltage, denoted V_p and chargeability, denoted M were measured every 25 metres using an Elrec Pro Iris Instrument Time Domain Receiver. The decay curve was separated into 20 pre-programmed slices (Figure 6).

Figure 6 **Decay Curve Integration Windows at P1-P2**



3.2.3 Calculation of the Apparent Resistivity and Chargeability

- ▲ Apparent resistivity was calculated according to the following formula:

Pole-dipole Array: $\rho_a = 2\pi n (n+1) a V_P/I$ (in ohm-m)

a = dipole separation ($a = 25$ meters)

n = multiple of dipoles ($n = 1$ to 10)

V_P = Primary Voltage (mV)

I = Transmitted Current (mA)

- ▲ Apparent Chargeability M corresponds to the average of the twenty (20) normalised windows and is expressed in mV/V.

4. SURVEY DATA PROCESSING

4.1 Coordinate System

The maps that are submitted in this report, as well as the final databases delivered to the Customer, are referenced to the UTM, Zone 17N in the NAD83 datum (Table 2).

Table 2 **Local Projection Parameters**

PROJECTION PARAMETERS	
Datum	NAD83, Zone 17N
Ellipsoid	GRS80
Major Axis Radius	6,378,137.00 m
Inverse flattening	298.257223563
Type	Transverse Mercator
Central Meridian	81° W
Latitude of origin	0° N
False easting	500,000 m
False northing	0 m
Scale factor	0.9996

4.2 Induced Polarization Data Processing and Representation

▲ **2D resistivity and chargeability inversion models:** For each line that was surveyed the data quality was initially checked, and the information saved in separate Geosoft databases. Part of this information was then subsequently exported to RES2DINV compatible file formats to carry out the inversions with the software program developed by M.H. Loke. The 2D models used by the inversion process consist of a series of blocks having their distribution and size automatically generated by the program using the distribution of the points in the pseudo sections, which is a function of the electrode array. The depth of the bottom row of blocks is set to be approximately equal to the equivalent depth of investigation (Edwards 1977). During the initial loading of the files, there is a correction applied to the RES/IP data for the surface topography effects, when the information is supplied. The inversion routine itself basically uses a non-linear least-square optimisation technique, and most parameters are automatically fixed by the software program.

▲ **3D resistivity and chargeability inversion models:** The data obtained along the different IP lines that were surveyed in pole-dipole were initially merged into a single database. For each theoretical electrode location (line/station), the true UTM (X, Y, Z) coordinates were also tied to it. Part of the information contained in this database was then exported to a RES3DINV compatible file to carry out the inversion. Insofar that the inversion program considers doubled-up values as distinct, each was then kept for repeated readings.

During the RES3DINV inversion of the data, the readings were initially corrected to compensate for topographic effects and then processed per parameters that were optimised based on the local geological setting. For each grid, the inversion process was stopped after six iterations and the results were then exported to a Geosoft *.XYZ ASCII file format. Because of the electrode array that was used and associated survey specifications, the model was extended to approximately 125 m beneath the surface (e.g., vertical depth).

The inverted resistivity and chargeability values were subsequently inserted into a database matrix where each value was associated with its X, Y and Z coordinate. The three-dimensional gridding was done by using an algorithm called 'kriging'. This algorithm determines the weight of each cell, and ultimately the preferential interpolation direction, based on a geostatistical analysis of all data. The 3D voxel images that are obtained following these inversions contain the information associated with each cell along with its coordinates (see Table 3 and Figure 9).

● *Comments/Remarks:*

- The inversion algorithm will not create information that is not in the raw data (2D pseudo-sections). In other words, the software solution is limited by the method and electrode configuration used during the survey.

- The inversion results will provide an estimate of the dips of the anomalous targets under certain conditions, likely when they are “isolated”. Thus, if there are two proximal targets, the two images may merge at depth, potentially giving a wrong estimate of their specific or general dip.

Table 3 *3D IP Inversion, Voxel Model Specifications*

GRID #1		GRID #2		GRID #3	
Element type:	DOUBLE	Element type:	DOUBLE	Element type:	DOUBLE
Number of cells X:	577	Number of cells X:	201	Number of cells X:	577
Number of cells Y:	365	Number of cells Y:	431	Number of cells Y:	365
Number of cells Z:	27	Number of cells Z:	25	Number of cells Z:	27
X voxel cell sizes:	6.25	X voxel cell sizes:	6.25	X voxel cell sizes:	6.25
Y voxel cell sizes:	6.25	Y voxel cell sizes:	6.25	Y voxel cell sizes:	6.25
Z voxel cell sizes:	6.25	Z voxel cell sizes:	6.25	Z voxel cell sizes:	6.25
Origin X:	521187.5	Origin X:	523162.5	Origin X:	521187.5
Origin Y:	5356650	Origin Y:	5360062.5	Origin Y:	5356650
Origin Z:	175	Origin Z:	162.5	Origin Z:	175
Rotation about Z (Yaw):	0	Rotation about Z (Yaw):	0	Rotation about Z (Yaw):	0
Z Orientation:	Up (Standard)	Z Orientation:	Up (Standard)	Z Orientation:	Up (Standard)
Coordinate system:	NAD83(CSR5) / UTM zone 17N	Coordinate system:	NAD83(CSR5) / UTM zone 17N	Coordinate system:	NAD83(CSR5) / UTM zone 17N
Coordinate system units:	metre	Coordinate system units:	metre	Coordinate system units:	metre

▲ Representation of the Pole-Dipole IP data

- **IP Pseudo-sections:** The measured resistivity and/or chargeability values are initially illustrated as pseudo-sections at a 1/2,500 scale. On each of these sections, the 2D inversion models of resistivity and chargeability have been displayed with the vertical depth in metres as the vertical axis. All in all, 33 pseudo-sections were generated to illustrate the IP lines that were surveyed with the pole-dipole electrode array during this campaign.
- **IP Maps:** Resistivity and chargeability slices at 50 and 100 metres of vertical depth were extracted from the 3D inversion models to generate the contour maps (see Table 5, section 4.4).

4.3 Digital Elevation Model

The digital elevation model (DEM) used to estimate the local surface topography is the SRTM-30m released by NASA following a worldwide radar survey completed aboard the Endeavour Space Shuttle in 2000. The vertical datum is the EGM-96 and associated elevations are above mean sea level (Table 4). The topographic information is used in the 3D inversion process of the magnetic data.

Table 4 Digital Elevation Model Specifications

Original Projection	Geographic
Horizontal Datum	WGS84
Vertical Datum	EGM96 (Earth Gravitational Model 1996)
Vertical Units	Metres
Spatial Resolution	1 arc-second for global coverage (30 m)
Raster Size	1-degree tiles
C-Band Wavelength	5-6 cm

Comments/Remarks: *The WGS84 approximates Earth by an ellipsoid, which is basically a deformed sphere. EGM96 is a more complex model based on the gravitational force of the Earth (which is not constant) that defines what "sea level" or "up/down" mean, a smooth but irregular shape called "geoid". WGS84 is the ellipsoid that best fits that geoid, and this fit has been updated as more accurate measurements of the geoid have been carried out over the years. WGS84 is not outdated; it's just a simplified mathematical model used by positioning systems like GPS, even if a geoid is technically more accurate when it comes to define the height over the sea level (since this is different from GPS altitude).*

4.4 Deliverable Maps, Grids & Voxels

The Geosoft Oasis Montaj software package was used to process the geophysical data as well as to generate the maps at a 1/10,000 scale. For each of them, the outlines of the townships, the road network and the watershed are illustrated. This information was either received from the Customer representative or downloaded through the National Topographic Database (NTDB), which is accessible online and regularly updated by a Federal Government agency. The different documents that are included with this report were also submitted in the JPEG and PDF formats, as well as geo-referenced *.tiff. Table 5 provides the details of the maps that were produced with this report, as well as the *.grd or voxel format digital files generated by processing the geophysical data.

Table 5 **List of Maps, Grids and Voxels**


Map	Description	Grids and Voxels (UTM_17N-NAD83)	Units
C501-1	Survey Grid and Topography	DEM EG.grd	meters
C501-2A	MAG, Total Magnetic Field	MAG EG RTMI.grd	nT
C501-2B	MAG, First Vertical Derivative	MAG EG_FVD.grd	nT/m
C501-3A	IP, Ground Model of Resistivity @ a Vertical Depth of 50 m	IP EG1 DS_RES_-50m.grd IP EG2 DS_RES_-50m.grd IP EG3 DS_RES_-50m.grd	ohm-m
C501-3B	IP, Ground Model of Resistivity @ a Vertical Depth of 100 m	IP EG1 DS_RES_-100m.grd IP EG2 DS_RES_-100m.grd IP EG3 DS_RES_-100m.grd	ohm-m
C501-3C	IP, Ground Model of Chargeability @ a Vertical Depth of 50 m	IP EG1 DS_CHA_-50m.grd IP EG2 DS_CHA_-50m.grd IP EG3 DS_CHA_-50m.grd	mV/V
C501-3D	IP, Ground Model of Chargeability @ a Vertical Depth of 100 m	IP EG1 DS_CHA_-100m.grd IP EG2 DS_CHA_-100m.grd IP EG3 DS_CHA_-100m.grd	mV/V
C501-4A	Interpretation-Sheet #1, IP Axes overlaid onto the MAG First Vertical Derivative	MAG EGR_FVD.grd	nT/m
C501-4B	Interpretation-Sheet #2, IP Axes overlaid onto the Ground Model of Resistivity @ -50 m	IP EG1 DS_RES_-50m.grd IP EG2 DS_RES_-50m.grd IP EG3 DS_RES_-50m.grd	ohm-m
C501-4C	Interpretation-Sheet #3, IP Axes overlaid onto the Ground Model of Chargeability @ -50 m	IP EG1 DS_CHA_-50m.grd IP EG2 DS_CHA_-50m.grd IP EG3 DS_CHA_-50m.grd	mV/V
	3D IP Inversion, Resistivity Voxel	IP EG1_RES.geosoft.voxel IP EG2_RES.geosoft.voxel IP EG3_RES.geosoft.voxel	ohm-m
	3D IP Inversion, Chargeability Voxel	IP EG1_CHA.geosoft.voxel IP EG2_CHA.geosoft.voxel IP EG3_CHA.geosoft.voxel	mV/V

5. INTERPRETATION

5.1 Project Overview and Regional Data¹


The Egan Property is strategically located near three actively producing gold mining camps: Timmins (70M oz); Kirkland Lake (42M oz); and Alamos' Young Davidson Gold Mine near Matachewan (3M oz). These camps are some of the world's richest gold mining camps with total production to date of greater than 115M oz and are all located in the Abitibi greenstone belt (Abitibi) of northeastern Ontario (Figure 7).

Figure 7 Location of the Egan Property and surround Active Mining Camps



High-grade gold mineralization on the Egan Property was discovered in 2017 when logging activities exposed a northeast trending quartz vein stockwork containing high grade gold within a syenite intrusion. Grab samples from the newly discovered E1 Zone, returned results that ranged from 0.1 to 105.0 g/t gold on 78 samples with several over 10 g/t, including 105.0 g/t, 47.6 g/t and 67.2 g/t gold. The E1 Zone terminates to the southwest against a north-south fault of undetermined movement (Figure 8).

Figure 8 Regional Geology



The E1 Zone is hosted within the Bradley Lake Syenite, part of a multi-phase intrusive body which has intruded a regionally east-west trending sequence of mafic metavolcanics rocks. Syenite intrusions show a close spatial relationship with several deposits in the region including Alamos' Young Davidson Mine (3M oz), the past producing Ross Mine (1M oz) and Kirkland Lake Gold's Macassa (5M oz) and Holt-McDermott (3M oz) Mines.

Due diligence sampling by LaSalle confirmed the presence of high-grade gold mineralization at the E1 Zone with all 9 grab samples collected in the shear zone returning anomalous gold values ranging from 0.09 g/t to 63.70 g/t gold, including individual select grab samples yielding 63.70 g/t, 4.70 g/t and 22.70 g/t gold. In addition, two separate composite chip samples were collected in areas of the shear zone not previously sampled. These composites returned 7.67 g/t over 3.0 meters and 2.80 g/t over 4.0 meters and are considered representative of the zones that have been sampled.

During 2017-2018, work was also completed on the historic E2 Zone, which consists of quartz veins hosted in moderate to strongly sheared mafic volcanic rocks. The best grab sample results were 15.3 g/t, 16.6 g/t and 19.3 g/t gold.

In late 2020, LaSalle conducted a reconnaissance exploration program to map major rock types, examine known showings and prospect other geological targets on the property. This work resulted in the discovery of a high-grade E3 Zone. The best grab sample results were 15.7 g/t and 26.9 g/t from outcrops of quartz vein bearing chlorite schist with 3-8% disseminated pyrite.

1 Information obtained from the LaSalle website's <http://lasallecorp.com>

5.2 Interpretation Methodology

Based on the available regional information, the indirect reconnaissance of the gold bearing mineralised structures will mostly be linked to their pyrite and/or arsenopyrite associated content (Table 6). Chalcopyrite, bornite, native copper and silver arsenide will be more direct markers of the sought-after structures if they are associated with gold. The concentration of polarisable minerals, the thickness of the structures as well as their vertical and lateral extent are other factors that will determine the amplitude of the anomaly.

Table 6 Comparative Chargeability Values of some Minerals

Mineral	Chargeability (mV/V) *
Pyrite	13.4
Chalcocite	13.2
Copper	12.3
Chalcopyrite	9.4
Bornite	6.3
Magnetite	2.2

*- The duration of the square wave was 3 s and the decay was integrated over 1s (1% vol. concentration).

During the interpretation process, the chargeability and resistivity anomalies were indicated on the IP sections and then graded as per their relative strength (see Table 7). This was done by carrying out an additional review of the 2D inversion models illustrated on the IP pseudo-sections which allowed us to estimate the location and, to a certain extent, the shape of the anomalous targets. Those chargeability anomalies that are deemed to be caused by the same anomalous target were then grouped together in what is called a polarisable axis.

Table 7 *IP-RES Interpretation Legend*

Legend		
Chargeability	Amplitude:	? = Marginal (< 2 mV/V) 1 = Weak (2 to 5 mV/V) 2 = Moderate (5 to 10 mV/V) 3 = Strong (10 to 15 mV/V) 4 = Very strong (> 15 mV/V)
Resistivity	High:	↑ = Resistive ↑↑ = Very resistive
	Low:	↓ = Conductive ↓↓ = Very conductive

To provide an easier visualisation of the interpretational elements resulting from the interpretation of the pole-dipole IP data, 3 distinct maps were produced:

- **Interpretation Map #1 (Figure 10):** The interpreted IP axes have been illustrated over the regional MAG first vertical derivative (QMRNF-SIGEOM DP2010-05).
- **Interpretation Map #2 (Figure 11):** The interpreted IP axes have been illustrated over the resistivity model at a vertical depth of 50 m. The color pallet was simplified to more easily characterize the polarisable anomalies based on their relative contrast of resistivity.
- **Interpretation Map #3 (Figure 12):** The interpreted IP axes have been illustrated over the chargeability model at a vertical depth of 50 m. The color pallet was simplified to more easily characterize the polarisable anomalies based on their relative amplitude.

On the interpretation maps was also indicated the location of the historic DDH and known mineral occurrences using downloaded information obtained from the OGS website.

5.3 Survey Data Analysis

5.3.1 Grid #1

▲ **Survey Specifications and Data Quality Control (Table 9):** The IP survey was completed with the pole-dipole electrode array ($a = 25$ m, $n = 1$ to 10). Based on the specifications used for this survey, the vertical penetration depth should be approximately 125 metres. The average injected current was approximately 1.32 A and the V_p measured on the farthest receiving dipole ($n = 10$) was on average of 183 mV. The survey progress was hampered in several locations due to the presence of sub outcropping and/or sandy zones where the ground contacts with the electrodes were difficult to established. Several readings were repeated to facilitate the quality control of the survey data. Following the review of the IP decay curves, the chargeability readings deemed unreliable have been removed and do not figure as such in the final database.

The IP coverage totalled 31.65 km completed along 19 N0°/N180° lines spaced every 200 m. The apparent resistivity values that were measured on this grid varied between 21 and 44,261 ohm-m, whereas the chargeability values fluctuated between -10.2 and 39.2 mV/V with a background value of 2.8 mV/V and a standard deviation factor of 3.2.

Table 8 *IP Survey Specifications and Statistics, Grid #1*

SURVEY SPECIFICATIONS and STATISTICS	
Electrode Array: Pole-Dipole	
Nb of Rx Lines: 19; Rx Line spacing: 200 m	
Nb of Tx Lines: 19; Tx Line spacing: 200 m	
P ₁ -P ₂ Spacing: 25 m; Separation factor: variable n=1 up to 10	
Transmitted current: Min. (0.07), Max (4.3), Average value (1.32) Amp	
Measured potential: Min (4.17), Max (15022), Average value (767) mV	
Resistivity: Min (21), Max (44261), Average (2702) ohm*m	
Chargeability: Min (-10.2), Max (39.2), Average (2.8) mV/V	

▲ **Summary Maps (Figures 10, 11 and 12):** The maps that were submitted show the bedrock IP-RES signature at 50 m and 100 m of vertical depth, enabling us to overcome the influence of the overburden signature where it is thicker. The examination of these documents allows us to notice that the inner portion of the survey zone quite monotonous and characterized by weak chargeability values. The polarizable anomalies are mainly regrouped in the western and eastern portion of the grid. They are elliptically shaped with general a WNW/ESE orientation and lateral continuities that appear somewhat limited but to be ascertained for several of them. One may notice that most of them are delineated within localized resistive horizons and that the strongest ones are observed in the vicinity or show a straightforward relationship with magnetic structures or lithologies.

▲ **Review of the Inversion Models & Main IP Axes:** The inversion results reveal the presence of a thin surface layer probably not exceeding 5 to 15 m where it is present. The latter probably consisting of sands and gravels that originate from glacial tills where it is observed resistive, or of clay minerals when it becomes more conductive. The bedrock may also outcrop or sub-outcrop in several locations where the grounds are in positive relief.

Twenty-one (21) IP axes have been delineated on this grid, which were successively labelled from IPE1-1 to IPE1-21. The associated polarizable targets/bodies or structures are relatively well defined/resolved on the 2D inversion models and shallow seated or sub outcropping. They are typically indicative of relatively thick bodies with weak to moderate apparent northward dips. The reader will find a detailed description of the interpreted IP axes in Table 11 (See Figures 10, 11 and 12).

For the follow up work, we suggest prioritizing axes IPE1-5, IPE1-7, IPE1-13, IPE1-15 and IPE1-20. At first glance the associated IP anomalies could be indicative of altered and silicified lithologies and/or sheared bands of rocks that are slightly enriched in disseminated sulfides and/or ferromagnesian minerals (see section 6, Table 14). Since the IP sources are interpreted as sub outcropping, one could instead try to firstly assess their geological origin by means of ground investigations and/or trenches.

5.3.2 Grid #2

▲ **Survey Specifications and Data Quality Control (Table 9):** The IP survey was completed with the pole-dipole electrode array ($a = 25$ m, $n = 1$ to 10). Based on the specifications used for this survey, the vertical penetration depth should be approximately 125 metres. The average injected current was approximately 1.78 A and the V_p measured on the farthest receiving dipole ($n = 10$) was on average of 98 mV. The survey progress was also hampered on this grid due to the presence of sub outcropping and/or sandy zones where the ground contacts with the electrodes were difficult to established. For quality control, several readings were repeated 2 or 3 times where these conditions have been observed.

The IP coverage totalled 19.475 km completed along 7 N0°/N180° lines spaced every 200 m. The apparent resistivity values that were measured on this grid varied between 15 and 19,280 ohm-m, whereas the chargeability values fluctuated between -5.2 and 17.5 mV/V with a background value of 1.8 mV/V and a standard deviation factor of 2.3.

Table 9 *IP Survey Specifications and Statistics, Grid #2*

SURVEY SPECIFICATIONS and STATISTICS
Electrode Array: Pole-Dipole
Nb of Rx Lines: 7; Rx Line spacing: 200 m
Nb of Tx Lines: 7; Tx Line spacing: 200 m
P ₁ -P ₂ Spacing: 25 m; Separation factor: variable $n=1$ up to 10
Transmitted current: Min. (0.12), Max (4.43), Average value (1.78) Amp
Measured potential: Min (4.91), Max (15022), Average value (626) mV
Resistivity: Min (15), Max (19280), Average (1724) ohm*m
Chargeability: Min (-5.2), Max (17.5), Average (1.8) mV/V

▲ **Summary Maps (Figures 10, 11 and 12):** On this prospect, one may notice a more important N/S oriented polarizable anomaly of weak to moderate amplitude outlined over ≈ 1.2 km in northern part of the grid. The latter seems to connect southward, in the middle of the grid, with a second smaller and weaker IP anomaly that is oriented WNW/ESE and likely to sketch the outline of a circularly shaped structure. A third E/W oriented anomaly of strongest amplitude is observed to the extreme south of the grid, the latter being only partially circumscribed. All these anomalies, or anomalous regions, are correlated within resistive horizons and likely coincide with grounds in positive relief. They are also mostly observed in the vicinity or show a straightforward relationship with magnetic structures, bodies or lithologies.

▲ **Review of the Inversion Models & Main IP Axes:** Over the majority of this grid, the inversion results highlight the presence of a thin surface layer probably not exceeding 5 to 15 m. Where the grounds are in positive relief, the bedrock outcrops or sub-outcrops in several locations that coincide with the IP anomalous regions/areas.

Twelve (12) IP axes have been delineated on this grid, which were successively labelled from IPE2-1 through IPE2-12. The polarizable targets/bodies or structures are relatively well

defined/resolved on the 2D inversion models and shallow seated with a continuity at depth for some of them that appear somewhat limited in the northern half of the grid. The reader will find a detailed description of the interpreted IP axes in Table 12 (See Figures 10, 11 and 12).

For the follow up work, we suggest prioritizing axis IPE2-1 to the south of the grid, in addition to axes IPE2-6 and IPE2-9 delineated in its northern half. The associated anomalies underscore well contrasted shallow seated and relatively thick body/targets. At first glance, these axes could map silicified and altered bands of rocks/lithologies (+/- quartz/carbonate veining) that are slightly enriched in disseminated sulfides and ferromagnesian minerals. Since the IP sources are interpreted as sub outcropping, one could instead try to firstly assess their geological origin by means of ground investigations and/or trenches (see section 6, Table 15).

5.3.3 Grid #3

▲ **Survey Specifications and Data Quality Control (Table 9):** The IP survey was completed with the pole-dipole electrode array ($a = 25$ m, $n = 1$ to 10). Based on the specifications used for this survey, the vertical depth of penetration should be approximately 125 metres. The average injected current was approximately 1.85 A and the V_p measured on the farthest receiving dipole ($n = 10$) was on average of 81 mV. Numerous readings were also repeated on this grid due to the presence of sub outcropping and/or sandy zones and the ones deemed unreliable were removed from the final database.

The IP coverage totalled 13.375 km completed along 7 N0°/N180° lines spaced every 200 m. The apparent resistivity values that were measured on this grid varied between 2.5 and 15,022 ohm-m, whereas the chargeability values fluctuated between -7.9 and 37.2 mV/V with a background value of 3.1 mV/V and a standard deviation factor of 4.5.

Table 10 *IP Survey Specifications and Statistics, Grid #3*

SURVEY SPECIFICATIONS and STATISTICS	
Electrode Array: Pole-Dipole	
Nb of Rx Lines: 7; Rx Line spacing: 200 m	
Nb of Tx Lines: 7; Tx Line spacing: 200 m	
P_1 - P_2 Spacing: 25 m; Separation factor: variable $n=1$ up to 10	
Transmitted current: Min. (0.06), Max (3.75), Average value (1.85) Amp	
Measured potential: Min (2.5), Max (15022), Average value (717) mV	
Resistivity: Min (35), Max (29026), Average (1966) ohm*m	
Chargeability: Min (-7.9), Max (37.2), Average (3.1) mV/V	

▲ **Summary Maps (Figures 10, 11 and 12):** The survey results essentially emphasize the presence of a broad anomalous, weakly to moderately polarizable region, that highlights the eastern part of the grid. Two orientations appear to coexist within this anomalous region, one more WNW/ESE which could be prevalent and the other N/S. This broad polarizable anomaly

is correlated with a resistivity high and likely coincides with grounds in positive relief, whilst southward shows a direct relationship with a thick magnetic structure or lithology.

▲ **Review of the Inversion Models & Main IP Axes:** As for the other grids, the inversion results reveal the presence of a thin surface layer probably not exceeding 5 to 10 m, which is essentially prevalent in the western half of the grid. The latter is highly conductive and probably mainly composed of clay minerals. The bedrock is interpreted as outcropping or sub-outcropping to the east where the grounds are in positive relief.

Seven (7) IP axes have been delineated over this grid which were successively labelled from IPE3-1 through IPE3-7. The associated polarizable targets/bodies or structures are relatively well defined/resolved on the 2D inversion models and shallow seated. The reader will find a detailed description of the interpreted IP axes in Table 13 (See Figures 10, 11 and 12).

For the follow up work, we suggest prioritizing axes IPE3-1 and IPE3-2 delineated to the southeast of this grid. They do underline well contrasted shallow seated polarizable bodies/sources linked to a magnetic structure or lithology that remains open eastward. At first glance, they could be indicative of a mineralization hosted within a ferromagnesian rich unit (+/- quartz/carbonate veining) that could also be slightly enriched in disseminated sulfides. Since the IP sources are interpreted as sub outcropping, one could instead try to firstly assess their geological origin by means of ground investigations and/or trenches (see section 6, Table 16).

Figure 9 **3D** **IP Inversion Voxel Models of Resistivity and Chargeability**





Figure 10 IP Axes overlaid onto the MAG First Vertical Derivative




Figure 11 IP Axes overlaid onto the Ground Model of Apparent Resistivity @ 50 m of Vertical Depth




Figure 12 IP Axes overlaid onto the Ground Model of Apparent Chargeability @ 50 m of Vertical Depth




Table 11 *Description of the IP Anomalies, Grid #1*

Anomaly	Localisation		Contrast		Description	Priority (1 to 5)
	Line	Station	Charg.	Res.		
IPE1-1	24+00E	14+69S	1	-	IP-RES Signature: Weak to strong and correlated with an increase of resistivity on L-2600E Strike length/Direction: 200 m N95°/N275° // Open at both ends MAG Association: Delineated within a WNW/ESE oriented thin magnetic horizon/bed Regional Data/Geology: Located 100 north of the L. Dolan occurrence (Au) // Historic DDH completed near L-2400E (log to be revised) Remarks/Recommendations: Shallow seated to sub outcropping body/target which is partially defined and very broad on L-2600E // Limited lateral continuity	4
	26+00E	14+94S	3	↑↑		
IPE1-2	24+00E	13+06S	2	-	IP-RES Signature: Weak to moderate and no obvious relationship with resistivity Strike length/Direction: 200 m N90°/N270° // Open westward MAG Association: Delineated within a WNW/ESE oriented thin magnetic horizon/bed Regional Data/Geology: Starts 300 west of the Blanchette-Porcupine occurrence (Au) Remarks/Recommendations: Fully defined only on L-2400E and limited lateral continuity	4-5
	28+00E	13+31S ?	1	-		
IPE1-3	34+00E	11+31S	?	-	IP-RES Signature: Marginal and no obvious relationship with resistivity Strike length/Direction: 200 m N95°/N275° MAG Association: - Regional Data/Geology: Located 150 SE of the Haddington main occurrence (Au) Remarks/Recommendations: Poorly contrasted anomaly, interest difficult to be ascertained	5
	36+00E	11+69S	?	-		
IPE1-4	24+00E	6+50S	2	↑↑	IP-RES Signature: Weak to moderate and correlated with an increase of resistivity Strike length/Direction: 400 m N120°/N300° MAG Association: At the southern contact with a WNW/ESE oriented thin magnetic horizon/bed Regional Data/Geology: - Remarks/Recommendations: Sub outcropping target/body // May underscore a sulfides mineralization hosted within an altered lithology // Ground follow up/trenching on L-2600E (see section 6, Table 14)	3
	26+00E	7+25S	1	↑↑		
	28+00E	8+69S	1	↑↑		
IPE1-5	24+00E	4+44S	?	↑↑	IP-RES Signature: Marginal to weak and correlated with an increase of resistivity Strike length/Direction: 400 m N115°/N295° // Abuts against an inferred fault eastward MAG Association: Delineated within a WNW oriented thin magnetic horizon/bed	3
	26+00E	6+44S	1	↑↑		

Anomaly	Localisation		Contrast		Description	Priority (1 to 5)
	Line	Station	Charg.	Res.		
	28+00E	7+13S	2	↑↑	Regional Data/Geology: Starts immediately to the SE of the Demarchi trench #8 occurrence (Cu, Au) Remarks/Recommendations: Close by and same type of target to the one indicated by the axis IPE1-4 // Ground follow up/trenching and/or to be drill tested on L-2800E (see section 6, Tables 14 and 17_1)	
IPE1-6	30+00E	3+94S	?	↑	IP-RES Signature: Marginal and correlated with a slight increase of resistivity Strike length/Direction: 400 m N115°/N295° // Abuts against an inferred fault westward MAG Association: - Regional Data/Geology: - Remarks/Recommendations: -	5
	32+00E	5+06S	?	↑		
	34+00E	5+69S	?	↑		
IPE1-7	40+00E	6+44S	1	↑↑	IP-RES Signature: Weak and correlated with an increase of resistivity Strike length/Direction: 400 m N100°/N280° MAG Association: - Regional Data/Geology: - Remarks/Recommendations: Shallow seated to sub outcropping body/target // Potential marker of a silicified band of rocks/lithology slightly enriched in sulfides // Ground follow-up and/or to be drill tested on L-4200E (see section 6, Tables 14 and 17_2)	3
	42+00E	6+69S	1	↑		
	44+00E	7+06S	1	↑↑		
IPE1-8	38+00E	3+44S	1	↑↑	IP-RES Signature: Weak to moderate and correlated with an increase of resistivity on L-3800E Strike length/Direction: 200 m N100°/N280° MAG Association: - Regional Data/Geology: - Remarks/Recommendations: Broad sub outcropping target/body with limited continuity at depth // May underscore a superficial altered bed/band of rocks slightly enriched in sulfides // Limited lateral continuity	4-5
	40+00E	3+81S	2	-		
IPE1-9	38+00E	2+31S	1	↑↑	IP-RES Signature: Weak to moderate and correlated with a n increase of resistivity on L-3800E Strike length/Direction: 200 m N100°/N280° MAG Association: - Regional Data/Geology: - Remarks/Recommendations: Close by and similar type of target to the one indicated by the axis IPE1-8	4-5
	40+00E	2+69S	2	-		

Anomaly	Localisation		Contrast		Description	Priority (1 to 5)
	Line	Station	Charg.	Res.		
IPE1-10	32+00E	1+56S	1	↑↑	IP-RES Signature: Marginal to weak and correlated with an increase of resistivity Strike length/Direction: 200 m N90°/N270° // Abuts against an inferred fault eastward MAG Association: Located at the southern contact with a strongly magnetic $\approx$ E/W oriented horizon/bed Regional Data/Geology: The Egan occurrence (Fe) is located 150 m to the ENE Remarks/Recommendations: Poorly contrasted target/body with limited lateral continuity	5
	34+00E	1+44S	?	↑		
IPE1-11	28+00E	0+06S	?	-	IP-RES Signature: Marginal and correlated with an increase of resistivity on L-3000E Strike length/Direction: 200 m N110°/N290° MAG Association: - Regional Data/Geology: - Remarks/Recommendations: -	5
	30+00E	0+94S	?	↑		
IPE1-12	40+00E	0+06N	3	↑↑	IP-RES Signature: Weak to strong and correlated with an increase of resistivity Strike length/Direction: 600 m N95°/N275° // Abuts against an inferred fault eastward MAG Association: Delineated within a strong magnetic E/W oriented broad horizon/bed Regional Data/Geology: Remarks/Recommendations: End of line anomaly to be closed northward	5
	2+00E	0+44S ?	1	↑		
	44+00E	0+44S ?	1	↑		
	46+00E	1+31S	2	↑		
IPE1-13	36+00E	2+88N	4	↑	IP-RES Signature: Strong to very strong and correlated with an increase of resistivity Strike length/Direction: 200 m N110°/N290° MAG Association: Delineated within a strong magnetic E/W oriented broad horizon/bed Regional Data/Geology: - Remarks/Recommendations: Broad sub outcropping body/target with apparent dip moderate to strong and northward // Potential marker of thick bed/lithology enriched in sulfides and ferromagnesian minerals // Ground follow-up/trenching and/or to be drill tested on L-3800E (see section 6, Tables 14 and 17_3)	3
	38+00E	2+19N	3	↑↑		
IPE1-14	34+00E	4+06N	3	↑↑	IP-RES Signature: Strong and likely correlated with an increase of resistivity Strike length/Direction: 600 m N95°/N275° // Abuts against an inferred fault westward MAG Association: At the northern contact with a strong magnetic E/W oriented broad horizon/bed Regional Data/Geology: -	3
	36+00E	3+69N	3	↑↑		
	38+00E	3+31N	3	-		

Anomaly	Localisation		Contrast		Description	Priority (1 to 5)
	Line	Station	Charg.	Res.		
	40+00E	3+31N	3	↑↑	Remarks/Recommendations: Similar type of target to the ones indicated by the axes IPE1-13 and IPE1-15 already recommended to be drill tested	
IPE1-15	34+00E	5+00N	4	↑	IP-RES Signature: Moderate to very strong and correlated with an increase of resistivity Strike length/Direction: 600 m N95°/N275° // Abuts against an inferred fault westward MAG Association: At the northern contact with a strong magnetic E/W oriented broad horizon/bed Regional Data/Geology: - Remarks/Recommendations: Broad sub outcropping body/target with apparent dip moderate to weak? and northward // Potential marker of thick bed/lithology enriched in sulfides and ferromagnesian minerals // Ground follow-up/trenching and/or to be drill tested on L-3600E (see section 6, Tables 14 and 17_4)	3
	36+00E	4+44N	3	↑↑		
	38+00E	4+31N	3	↑↑		
	40+00E	4+44N	2	↑↑		
IPE1-16	36+00E	5+94N	2	↑↑	IP-RES Signature: Moderate and correlated with an increase of resistivity Strike length/Direction: 400 m N90°/N270° // Open eastward MAG Association: - Regional Data/Geology: - Remarks/Recommendations: Similar type of target to the ones indicated by the axes IPE1-13 and IPE1-15 already recommended to be drill tested	3
	38+00E	5+94N	2	↑↑		
	40+00E	6+06N	2	↑↑		
IPE1-17	26+00E	6+81N ?	1	↑	IP-RES Signature: Weak to moderate and correlated with an increase of resistivity Strike length/Direction: 600 m N95°/N275° // Abuts against an inferred fault eastward MAG Association: - Regional Data/Geology: - Remarks/Recommendations: End of line anomaly to be closed northward	5
	28+00E	6+44N	2	↑↑		
	30+00E	6+31N	2	↑↑		
	32+00E	6+31N	1	↑↑		
IPE1-18	18+00E	2+44N	1	↑↑	IP-RES Signature: Marginal to weak and correlated with an increase of resistivity Strike length/Direction: 200 m N60°/N240° // Abuts against an inferred towards the SW MAG Association: Delineated within a thin NE/SW oriented magnetic horizon/bed Regional Data/Geology: Located 100 m south of the Card Lake DDH-72-2 occurrence (Au, Cu) Remarks/Recommendations: Poorly contrasted target/body with limited lateral continuity // Interest to be confirmed	5
	20+00E	3+69N	?	↑↑		

Anomaly	Localisation		Contrast		Description	Priority (1 to 5)
	Line	Station	Charg.	Res.		
IPE1-19	12+00E	1+81N	1	↑↑	IP-RES Signature: Marginal to weak and likely correlated with an increase of resistivity Strike length/Direction: 400 m N95°/N275° // Open westward and abuts against an inferred fault eastward MAG Association: - Regional Data/Geology: - Remarks/Recommendations: Broad sub outcropping target/body with limited continuity at depth // May underscore a superficial altered bed/band of rocks slightly enriched in sulfides // Limited lateral continuity	5
	14+00E	1+31N	1	-		
	16+00E	1+31N	?	↑		
IPE1-20	12+00E	1+19N	1	↑↑	IP-RES Signature: Weak and correlated with an increase of resistivity Strike length/Direction: 200 m N95°/N275° // Open westward MAG Association: Regional Data/Geology: - Remarks/Recommendations: Relatively thin sub outcropping body/target with apparent dip strong and northward // Potential marker of a disseminated sulfide mineralization hosted within a thin altered and silicified band of rocks // Ground follow up/trenching and/or to be drill tested on L-1400E (see section 6, Table 14 and 17_5)	3-4
	14+00E	0+81N	1	↑		
IPE1-21	12+00E	0+44N	1	↑↑	IP-RES Signature: Weak and correlated with an increase of resistivity on L-1200E Strike length/Direction: 200 m N95°/N275° // Open westward MAG Association: Regional Data/Geology: - Remarks/Recommendations: Broad sub outcropping target/body with limited continuity at depth // May underscore a superficial altered bed/band of rocks slightly enriched in sulfides // Limited lateral continuity	5
	14+00E	0+19S	1	-		

Table 12 *Description of the IP Anomalies, Grid #2*

Anomaly	Localisation		Contrast		Description	Priority (1 to 5)
	Line	Station	Charg.	Res.		
IPE2-1	36+01E	20+31N	?	↑↑	IP-RES Signature: Marginal to strong and correlated with an increase of resistivity Strike length/Direction: 600 m N95°/N275° // Abuts against an inferred fault westward MAG Association: Difficult to be ascertained Regional Data/Geology: - Remarks/Recommendations: Broad sub outcropping target/body with apparent dip weak to moderate and northward // Potential marker of a thick band of rocks or altered lithology enriched in sulfides // Ground follow up/trenching and/or to be drill tested on L-4001E (see section 6.0, Tables 15 and 18_1)	2-3
	38+01E	20+19N	2	↑↑		
	40+01E	19+63N	3	↑		
	42+01E	19+81N	2	↑↑		
IPE2-2	38+01E	21+56N	2	↑↑	IP-RES Signature: Moderate to strong and correlated with an increase of resistivity on L-3801E Strike length/Direction: 400 m N100°/N280° // Abuts against an inferred fault westward MAG Association: Difficult to be ascertained but possible eastward Regional Data/Geology: - Remarks/Recommendations: Immediately to the north of IPE2-1 and similar type pf target // Ground follow up/trenching on L-3801E (see section 6, Table 15)	3-4
	40+01E	20+50N	3	-		
	42+01E	21+06N	3	-		
IPE2-3	40+01E	22+31N	2	↑↑	IP-RES Signature: Moderate and correlated with an increase of resistivity Strike length/Direction: 200 m N120°/N300° MAG Association: Defined within a NNW/SSE oriented? thin band of more magnetic rocks Regional Data/Geology: - Remarks/Recommendations: Similar type of target to the ones indicated by the axes IPE2-1 and IPE2-2 // Limited lateral continuity	4-5
	42+01E	21+81N	2	↑↑		
IPE2-4	40+01E	27+50N	1	↑↑	IP-RES Signature: Weak and correlated with an increase of resistivity Strike length/Direction: 200 m N140°/N320° // Abuts against an inferred fault westward MAG Association: - Regional Data/Geology: - Remarks/Recommendations: Relatively broad sub outcropping target/body with limited continuity at depth // Limited lateral continuity	5
	42+01E	25+94N	1	↑		
IPE2-5	40+01E	28+44N	?	↑↑	IP-RES Signature: Marginal to weak and correlated with an increase of resistivity	5

Anomaly	Localisation		Contrast		Description	Priority (1 to 5)
	Line	Station	Charg.	Res.		
	42+01E	28+06N	?	↑↑	Strike length/Direction: 400 m N110°/N290° // Abuts against an inferred fault westward and open eastward MAG Association: - Regional Data/Geology: - Remarks/Recommendations: Poorly contrasted target/body // Interest difficult to be ascertained	
	44+01E	27+69N	1	↑		
IPE2-6	34+01E	34+56N	1	↑↑	IP-RES Signature: Marginal to weak and correlated with an increase of resistivity Strike length/Direction: 400 m N120°/N300° // Abuts against an inferred fault eastward MAG Association: - Regional Data/Geology: Delineated within a N/S oriented thin magnetic horizon (altered band of rocks?) Remarks/Recommendations: Relatively thin sub outcropping target/body with apparent dip moderate to weak? and northward // May underscore an altered bed/lithology slightly enriched in disseminated sulfides and ferromagnesian minerals // To be drill tested on L3601E (see section 6, Tables 15 and 18_2)	3
	36+01E	33+19N	1	↑		
	38+01E	32+19N	?	↑↑		
IPE2-7	34+01E	36+69N	1	↑	IP-RES Signature: Marginal to weak and correlated with an increase of resistivity Strike length/Direction: 400 m N125°/N305° MAG Association: Delineated within a N/S oriented thin magnetic horizon (altered band of rocks?) Regional Data/Geology: - Remarks/Recommendations: Similar type of target to the one indicated by the axis IPE2-6 // Interest to be confirmed	3
	36+01E	35+06N	1	↑		
	38+01E	33+81N	?	↑↑		
IPE2-8	34+01E	37+56N	?	↑	IP-RES Signature: Marginal to weak and correlated with an increase of resistivity Strike length/Direction: 200 m N125°/N305° MAG Association: Delineated within a N/S oriented thin magnetic horizon (altered band of rocks?) Regional Data/Geology: - Remarks/Recommendations: Broad sub outcropping target/body with limited continuity at depth // May highlight a superficial altered and silicified layer/bed slightly enriched in sulfides and ferromagnesian minerals // Interest to be confirmed (see also IPE2-9)	3-4
	36+01E	36+06N	1	↑		
IPE2-9	36+01E	37+31N	1	↑	IP-RES Signature: Weak and correlated with an increase of resistivity Strike length/Direction: 200 m N110°/N209° // Abuts against an inferred fault eastward MAG Association: Delineated within a N/S oriented thin magnetic horizon (altered band of rocks?)	3-4
	38+01E	36+56N	1	↑↑		

Anomaly	Localisation		Contrast		Description	Prio-ri-ty (1 to 5)
	Line	Station	Charg.	Res.		
					Regional Data/Geology: - Remarks/Recommendations: Close/by and same type of target to the one indicated by the axis IPE2-8 but that appears more continuous at depth // Ground follow/trenching and/or to be drill tested on L3601E (see Tables 15 and 18_3)	
IPE2-10	36+01E	38+31N	1	↑	IP-RES Signature: Weak and correlated with an increase of resistivity Strike length/Direction: 200 m N120°/N300° // Abuts against an inferred fault eastward MAG Association: Delineated within a N/S oriented thin magnetic horizon (altered band of rocks?) Regional Data/Geology: - Remarks/Recommendations: Close by and same type of target to the ones indicated by the axes IPE2-8 and IPE2-9 // Limited lateral continuity	3-4
	38+01E	37+19N	1	↑↑		
IPE2-11	38+01E	40+31N	?	↑↑	IP-RES Signature: Marginal to weak and correlated with an increase of resistivity Strike length/Direction: 400 m N70°/N250° // Abuts against an inferred fault eastward MAG Association: - Regional Data/Geology: - Remarks/Recommendations: Poorly contrasted target/body of shallow origin with uncertain continuity at depth	4-5
	40+01E	41+31N	1	↑		
	42+01E	41+81N	?	↑↑		
IPE2-12	36+01E	41+06N	1	↑↑	IP-RES Signature: Weak and correlated with an increase of resistivity Strike length/Direction: 200 m N75°/N255° // Abuts against an inferred fault eastward MAG Association: Delineated within a N/S oriented thin magnetic horizon/bed Regional Data/Geology: - Remarks/Recommendations: Relatively broad target/body likely sub outcropping on L-3601E // Limited lateral continuity	4
	38+01E	42+00N	1	↑↑		

Table 13

Description of the IP Anomalies, Grid #3

Anomaly	Localisation		Contrast		Description	Priority (1 to 5)
	Line	Station	Charg.	Res.		
IPE3-1	65+00E	12+94N	2	↑↑	IP-RES Signature: Moderate to very strong and correlated with an increase of resistivity Strike length/Direction: 400 m N110°/N290° // Open eastward MAG Association: Delineated within a strong magnetic WNW/ESE oriented thin bed/horizon that remains open eastward Regional Data: - Remarks/Recommendations: Broad sub outcropping target/body with apparent dip moderate and northward // Potential marker of a thick band of altered and silicified rocks enriched in sulfides and ferromagnesian minerals // Ground follow up/trenching and/or to be drill tested on L-6700E (see section 6, Tables 16 and 19_1)	2-3
	67+00E	11+63N	4	↑		
	69+00E	11+38N	3	↑		
IPE3-2	63+00E	15+19N	4	↑↑	IP-RES Signature: Strong to very strong and correlated with an increase of resistivity Strike length/Direction: 600 m N115°/N295° // Open eastward MAG Association: Delineated within a strong magnetic WNW/ESE oriented thin bed/horizon that remains open eastward Regional Data: - Remarks/Recommendations: Close-by IPE3-1 and similar type of target // Ground follow up/trenching and/or to be drill tested on L-6900E (see section 6, Tables 16 and 19_2)	2-3
	65+00E	14+56N	4	↑↑		
	67+00E	13+00N	3	↑		
	69+00E	12+31N	3	↑		
IPE3-3	63+00E	17+69N	2	↑↑	IP-RES Signature: Weak to moderate and correlated with an increase of resistivity Strike length/Direction: 400 m N120°/N300° // Open eastward MAG Association: Immediately to the north of a strong magnetic WNW/ESE oriented horizon/bed that remains open eastward Regional Data: - Remarks/Recommendations: Thin sub outcropping target/body with uncertain continuity at depth // Potential maker of a disseminated sulfide mineralization hosted along a superficial altered and silicified bed // Ground follow up/trenching on L-6500E (see section 6, Table 16)	3-4
	65+00E	16+69N	2	↑↑		
	67+00E	15+44N	1	↑↑		
IPE3-4	63+00E	18+31N	2	↑↑	IP-RES Signature: Weak to moderate and correlated with an increase of resistivity Strike length/Direction: 400 m N120°/N300° // Open eastward MAG Association: Immediately to the north of a strong magnetic WNW/ESE oriented	3-4
	65+00E	17+19N	1	↑↑		

Anomaly	Localisation		Contrast		Description	Priority (1 to 5)
	Line	Station	Charg.	Res.		
	67+00E	16+19N	1	↑↑	horizon/bed that remains open eastward Regional Data: - Remarks/Recommendations: Close-by IPE3-3 and similar type of target	
IPE3-5	63+00E	21+31N	2	↑↑	IP-RES Signature: Weak to moderate and correlated with an increase of resistivity Strike length/Direction: 400 m N130°/N310° MAG Association: - Regional Data/Geology: - Remarks/Recommendations: Relatively broad sub outcropping target/body with uncertain continuity at depth // Potential maker of a disseminated sulfide mineralization hosted along a superficial altered and silicified bed // Ground follow up/trenching on L-6700E (see section 6, Table 16)	3-4
	65+00E	19+56N	1	↑↑		
	67+00E	18+19N	1	↑↑		
IPE3-6	63+00E	25+31N	3	↑↑	IP-RES Signature: Marginal to strong and correlated with an increase of resistivity Strike length/Direction: 200m N90°/N270° MAG Association: - Regional Data: Starts 150 m east of the Lightning Rivern occurrence (Au) Remarks/Recommendations: Favorable IP-Res signature only observed on L-6300E // Interest difficult to be ascertained	4-5
	65+00E	25+31N	?	↑		
IPE3-7	63+00E	26+31N	?	↑↑	IP-RES Signature: Marginal and correlated with an increase of resistivity Strike length/Direction: 200 m N90°/N270° MAG Association: - Regional Data: - Remarks/Recommendations: -	5
	65+00E	26+19N	?	↑		

6. CONCLUSION

The analysis of the newly acquired geophysical data allows for the delineation of numerous of IP axes spread out over the 3 grids surveyed during this campaign. These anomalies share common characteristics and regarding the key outcome from the present data interpretation, one may notice the following elements/results:

▲ The observed polarizable anomalies are of marginal to strong amplitude and typically linked with moderate to strong increases of resistivity. The lateral continuity of these anomalies and associated IP axes does not usually exceed 400 m.

▲ These anomalies are mainly defined within localized relatively broad resistive horizons where the grounds are in positive relief and the bedrock units are outcropping or sub outcropping, if we refer to the 2D inversion models. In several locations, one may also observe a relationship between the IP and MAG anomalies, revealing a partially common cause.

▲ At first glance, we may suggest that their origin is partially linked to disseminated sulfides remobilized along altered shear zones in association with quartz/carbonate veining. However, one may also presume that a part of these anomalies highlights broad bands of silicified rocks caused by alteration phenomena, whilst also slightly enriched in metallic sulfides and/or ferromagnesian minerals.

As for the follow up work, distinct IP axes have been proposed for complementary evaluation over each surveyed grid (see Tables 14, 15 and 16). Since the interpreted polarizable sources are deemed sub outcropping for most of them, the reconnaissance work should initially consider the completion of ground follow-up and/or trenching to assess their geological type. The reader can find additional information about the proposed drill hole parameters to test each of the selected IP anomalies resumed in the form tables inserted at the end of this section.

The interpretation of the IP data embodied in this report is essentially a geophysical appraisal of the Egan Property. As such, it incorporates only as much geoscientific information as the author currently has available. LaSalle exploration geologists thoroughly familiar with the area are in a better position to evaluate the geological significance of the various geophysical signatures. Moreover, as time passes by and information provided by follow-up exploration programs is compiled, exploration targets recognized in this study might be downgraded or upgraded.

Respectfully submitted,

Joel Simard

Joël Simard, P.Geo./Geoph.

OGQ #1350

APGO #2967

Table 14

Summary of proposed Follow up Work, Grid #1

IP AXES	RECOMMENDED FOLLOW-UP WORK	PRIORITY
IPE1-5	<u>Ground Follow-up/Trenching</u> → Target: Line 28+00E, From Station 7+25S to 7+00S <u>Drilling</u> • Drillhole IPE15_H1 (See Table 17_1) → Drill target: Line 28+00E, Station 7+25S, Depth: -60 m	1-2
IPE1-7	<u>Ground Follow-up/Trenching</u> → Target: Line 42+00E, From Station 6+85S to 6+50S <u>Drilling</u> • Drillhole IPE17_H1 (See Table 17_2) → Drill target: Line 42+00E, Station 6+62S, Depth: -60 m	1-2
IPE1-13	<u>Ground Follow-up/Trenching</u> → Target: Line 38+00E, From Station 2+00N to 2+35N <u>Drilling</u> • Drillhole IPE113_H1 (See Table 17_3) → Drill target: Line 38+00E, Station 2+35N, Depth: -60 m	1-2
IPE1-15	<u>Ground Follow-up/Trenching</u> → Target: Line 36+00E, From Station 4+30N to 4+66N <u>Drilling</u> • Drillhole IPE115_H1 (See Table 17_4) → Drill target: Line 36+00E, Station 4+40N, Depth: -40 m	1-2
IPE1-20	<u>Ground Follow-up/Trenching</u> → Target: Line 14+00E, From Station 0+70N to 1+00N <u>Drilling</u> • Drillhole IPE120_H1 (See Table 17_5) → Drill target: Line 14+00E, Station 0+88N, Depth: -60 m	2
IPE1-4	<u>Ground Follow-up/Trenching</u> • Target: Line 26+00E, From Station 7+37S to 7+12S	2

Table 15 *Summary of proposed Follow up Work, Grid #2*

IP AXES	RECOMMENDED FOLLOW-UP WORK	PRIORITY
IPE2-1	<u>Ground Follow-up/Trenching</u> → Target: Line 40+01E, From Station 19+50N to 19+75N <u>Drilling</u> • Drillhole IPE21_H1 (See Table 18_1) → Drill target: Line 40+01E, Station 19+62N Depth: -50 m	1-2
IPE2-6	<u>Ground Follow-up/Trenching</u> → Target: Line 36+01E, From Station 33+05N to 33+30N <u>Drilling</u> • Drillhole IPE26_H1 (See Table 18_2) → Drill target: Line 36+01E, Station 33+37N, Depth: -60 m	1-2
IPE2-9	<u>Ground Follow-up/Trenching</u> → Target: Line 36+01E, From Station 37+20N to 37+45N <u>Drilling</u> • Drillhole IPE29_H1 (See Table 18_3) → Drill target: Line 36+01E, Station 37+37N, Depth: -50 m	1-2
IPE2-2	<u>Ground Follow-up/Trenching</u> • Target: Line 38+01E, From Station 21+40N to 21+65N	2

Table 16 *Summary of proposed Follow up Work, Grid #3*

IP AXES	RECOMMENDED FOLLOW-UP WORK	PRIORITY
IPE3-1	<u>Ground Follow-up/Trenching</u> → Target: Line 67+00E, From Station 11+50N to 11+75N <u>Drilling</u> • Drillhole IPE31_H1 (See Table 19_1) → Drill target: Line 67+00E, Station 11+62N Depth: -50 m	1-2
IPE3-2	<u>Ground Follow-up/Trenching</u> → Target: Line 69+00E, From Station 12+20N to 12+45N <u>Drilling</u> • Drillhole IPE32_H1 (See Table 19_2) → Drill target: Line 69+00E, Station 12+37N, Depth: -50 m	1-2
IPE3-3	<u>Ground Follow-up/Trenching</u> → Target: Line 65+00E, From Station 16+80N to 16+55N	2
IPE3-5	<u>Ground Follow-up/Trenching</u> • Target: Line 67+00E, From Station 18+05N to 18+30N	2

PROPOSED DRILLHOLES – GRID #1

Table 17_1 Anomaly IPE1-5, Parameters of Drillhole IPE15_H1



Anomaly IPE1-5, Drillhole IPE15_H1			
		→ Drill target: Line 28+00E, Station 7+25S, Depth: -60 m	
Drillhole parameters		2D IP Inversion Models	
IP Anomaly:	IPE1-5		
Drillhole:	IPE15_H1		
Line:	28+00E		
Station:	7+50S		
Direction:	N0°		
Dip:	-61°		
Length:	125 m		

Table 17_2 Anomaly IPE1-7, Parameters of Drillhole IPE17_H1

Anomaly IPE1-7, Drillhole IPE17_H1			
		→ Drill target: Line 42+00E, Station 6+62S, Depth: -60 m	
Drillhole parameters		2D IP Inversion Models	
IP Anomaly:	IPE1-7		
Drillhole:	IPE17_H1		
Line:	42+00E		
Station:	6+25S		
Direction:	N180°		
Dip:	-55°		
Length:	125 m		

PROPOSED DRILLHOLES – GRID #1

Table 17_3 Anomaly IPE1-13, Parameters of Drillhole IPE113_H1




Anomaly IPE1-13, Drillhole IPE113_H1 → Drill target: Line 38+00E, Station 2+35N, Depth: -60 m	
Drillhole parameters	
IP Anomaly:	IPE1-13
Drillhole:	IPE113_H1
Line:	38+00E
Station:	2+75N
Direction:	N180°
Dip:	-55°
Length:	125 m
2D IP Inversion Models	
	

Table 17_4 Anomaly IPE1-15, Parameters of Drillhole IPE115_H1

Anomaly IPE1-15, Drillhole IPE115_H1 → Drill target: Line 36+00E, Station 4+40N, Depth: -40 m	
Drillhole parameters	
IP Anomaly:	IPE1-15
Drillhole:	IPE115_H1
Line:	36+00E
Station:	4+75N
Direction:	N180°
Dip:	-52°
Length:	125 m
2D IP Inversion Models	
	

PROPOSED DRILLHOLES – GRID #1

Table 17_5 Anomaly IPE1-20, Parameters of Drillhole IPE120_H1

Anomaly IPE1-20, Drillhole IPE120_H1 → Drill target: Line 14+00E, Station 0+88N, Depth: -60 m	
Drillhole parameters	
IP Anomaly:	IPE1-20
Drillhole:	IPE120_H1
Line:	14+00E
Station:	1+25N
Direction:	N180°
Dip:	-55°
Length:	125 m
2D IP Inversion Models	
	

PROPOSED DRILLHOLES – GRID #2

Table 18_1 Anomaly IPE2-1, Parameters of Drillhole IPE21_H1




Anomaly IPE2-1, Drillhole IPE21_H1 → Drill target: Line 40+01E, Station 19+62N, Depth: -50 m		2D IP Inversion Models	
Drillhole parameters			
IP Anomaly:	IPE2-1		
Drillhole:	IPE21_H1		
Line:	40+01E		
Station:	20+00N		
Direction:	N180°		
Dip:	-55°		
Length:	125 m		

Table 18_2 Anomaly IPE2-6, Parameters of Drillhole IPE26_H1

Anomaly IPE2-6, Drillhole IPE26_H1 → Drill target: Line 36+01E, Station 33+37N, Depth: -60 m		2D IP Inversion Models	
Drillhole parameters			
IP Anomaly:	IPE2-6		
Drillhole:	IPE26_H1		
Line:	36+01E		
Station:	33+75N		
Direction:	N180°		
Dip:	-57°		
Length:	125 m		

PROPOSED DRILLHOLES – GRID #2

Table 18_3 Anomaly IPE2-9, Parameters of Drillhole IPE29_H1

Anomaly IPE2-9, Drillhole IPE29_H1 → Drill target: Line 36+01E, Station 37+37N, Depth: -50 m	
Drillhole parameters	
IP Anomaly:	IPE2-9
Drillhole:	IPE29_H1
Line:	36+01E
Station:	37+62N
Direction:	N180°
Dip:	-58°
Length:	125 m
2D IP Inversion Models	
	

PROPOSED DRILLHOLES – GRID #3

Table 19_1 Anomaly IPE3-1, Parameters of Drillhole IPE31_H1



Anomaly IPE3-1, Drillhole IPE31_H1			
→ Drill target: Line 67+00E, Station 11+62N, Depth: -50 m			
Drillhole parameters		2D IP Inversion Models	
IP Anomaly:	IPE3-1		
Drillhole:	IPE31_H1		
Line:	67+00E		
Station:	12+00N		
Direction:	N180°		
Dip:	-50°		
Length:	115 m		

Table 19_2 Anomaly IPE3-2, Parameters of Drillhole IPE32_H1

Anomaly IPE3-2, Drillhole IPE32_H1			
→ Drill target: Line 69+00E, Station 12+37N, Depth: -50 m			
Drillhole parameters		2D IP Inversion Models	
IP Anomaly:	IPE3-2		
Drillhole:	IPE32_H1		
Line:	69+00E		
Station:	12+62N		
Direction:	N180°		
Dip:	-58°		
Length:	125 m		

QUALIFICATION CERTIFICATE

I am a consulting geologist/geophysicist and currently residing at 103 chemin du lac Blanc, St-Donat, Québec, Canada, J0T 2C0. Tel. 1-819-424-5892 / Email: jo.simard@cgocable.ca.

I obtained a Bachelor's degree (B. Sc. A.) in Geology at Université de Montréal in 1988.

I am a geologist/geophysicist that has been involved in mineral exploration for 33 years.

I am a registered member with l'Ordre des Géologues du Québec (member #1350).

I am a registered member with the Association of Professional Geoscientists of Ontario (member #2967).

I hereby certify that, to the best of my knowledge, this report represents a truthful description of the data acquired from the induced polarization survey carried out from October 19th through November 20th, 2021 by Géophysique TMC on the Egan Property.

I do not own any block of shares, nor do I have any financial interest whatsoever in LaSalle Exploration Corporation.


Respectfully submitted,



Joël Simard, P.Geo./Geoph.

OGQ. # 1350

APGO # 2967



Legend

- IP Lines Surveyed: 63.87Km
- Lines Cut: 77.301Km
- Township
- Mining Lands**
 - Lease, MSR
 - Patent, MSR
 - Egan Claims
- Non-Mining Lands**
 - Patent, SR
 - Patent, MR
 - Patent, MSR
 - Egan Property



2021 Egan IP Report Costs Summary Table

[illegible]

Total Costs																	IP field work	Analysis
Line Cutting Costs per claim TMC - total cost used = \$69571.29											IP costs used: 131943 + 9750 = \$141693		tot cost ip		133612.5	9750.0	10500	
Total cut lines used on property = 77.301km							Tot cost calc	TMC	Expenses	Report	TMC		tot m	tot km	Less 795m or \$1669.5	1669.500	131943.0	325
77301.431							%	69,571.29	5,000.0	\$6,683.92	\$3,981.25		63866.98	63.87km		131943.0	141693.0	10825.0
TENURE NUM	Count TENURE	Sum_Cut lines per claim (m)	% meters work per claim	Km of cut lines per claim	Cost to cut 1 km (\$)	Cost per claim	Line Cutting cost/claim	Mobe demobe Cost/claim	Expenses cost/claim	Report Cost/claim	Claim NUM	Count TENURE	IP Lines meters	IP lines in km	% meters	Cost per km	Cost/claim	IP Analysis Costs
111536	2	926.343	0.012	0.926	900.0	833.708	833.708	59.918	\$80.10	\$47.71	111536	2	926.343	0.926	0.015	2100.0	2055.151	157.009
116277	2	585.625	0.008	0.586	900.0	527.063	527.063	37.879	\$50.64	\$30.16	116277	2	585.625	0.586	0.009	2100.0	1299.247	99.259
120461	4	663.721	0.009	0.664	900.0	597.349	597.349	42.931	\$57.39	\$34.18	120461	2	239.089	0.239	0.004	2100.0	530.433	40.524
132840	1	462.828	0.006	0.463	900.0	416.545	416.545	29.937	\$40.02	\$23.84	132840						0.000	0.000
133296	3	1080.078	0.014	1.080	900.0	972.070	972.070	69.861	\$93.39	\$55.63	133296	3	1080.078	1.080	0.017	2100.0	2396.221	183.065
134675	2	927.415	0.012	0.927	900.0	834.674	834.674	59.987	\$80.19	\$47.76	134675	2	927.415	0.927	0.015	2100.0	2057.530	157.190
134676	2	927.316	0.012	0.927	900.0	834.585	834.585	59.981	\$80.18	\$47.76	134676	2	927.316	0.927	0.015	2100.0	2057.311	157.174
137216	2	926.567	0.012	0.927	900.0	833.911	833.911	59.932	\$80.12	\$47.72	137216	2	926.567	0.927	0.015	2100.0	2055.649	157.047
137217	3	1389.269	0.018	1.389	900.0	1250.342	1250.342	89.860	\$120.12	\$71.55	137217	2	926.587	0.927	0.015	2100.0	2055.693	157.050
142225	3	1389.790	0.018	1.390	900.0	1250.811	1250.811	89.894	\$120.17	\$71.58	142225	2	926.964	0.927	0.015	2100.0	2056.529	157.114
151307	3	1389.927	0.018	1.390	900.0	1250.934	1250.934	89.903	\$120.18	\$71.59	151307	3	1389.927	1.390	0.022	2100.0	3083.642	235.583
159799	2	927.618	0.012	0.928	900.0	834.856	834.856	60.000	\$80.21	\$47.78	159799	2	927.618	0.928	0.015	2100.0	2057.980	157.225
161548	2	926.541	0.012	0.927	900.0	833.887	833.887	59.930	\$80.11	\$47.72	161548	2	926.541	0.927	0.015	2100.0	2055.590	157.042
164522	1	7.471	0.000	0.007	900.0	6.724	6.724	0.483	\$0.65	\$0.38	164522						0.000	0.000
167554	3	1391.126	0.018	1.391	900.0	1252.014	1252.014	89.981	\$120.28	\$71.65	167554	3	1391.126	1.391	0.022	2100.0	3086.303	235.786
170096	2	926.881	0.012	0.927	900.0	834.193	834.193	59.952	\$80.14	\$47.74	170096	2	926.881	0.927	0.015	2100.0	2056.346	157.100
180404	2	926.770	0.012	0.927	900.0	834.093	834.093	59.945	\$80.13	\$47.73	180404	2	926.770	0.927	0.015	2100.0	2056.098	157.081
184848	2	908.054	0.012	0.908	900.0	817.249	817.249	58.735	\$78.52	\$46.77	184848	2	908.054	0.908	0.014	2100.0	2014.577	153.909
184849	3	1363.496	0.018	1.363	900.0	1227.147	1227.147	88.193	\$117.90	\$70.22	184849	3	1363.496	1.363	0.021	2100.0	3025.004	231.103
184850	4	1854.215	0.024	1.854	900.0	1668.793	1668.793	119.934	\$160.33	\$95.50	184850	3	1391.389	1.391	0.022	2100.0	3086.885	235.830
188175	3	1355.436	0.018	1.355	900.0	1219.893	1219.892	87.672	\$117.20	\$69.81	188175	3	1355.436	1.355	0.021	2100.0	3007.122	229.737
192351	3	1108.931	0.014	1.109	900.0	998.038	998.038	71.728	\$95.88	\$57.11	192351	3	1108.931	1.109	0.017	2100.0	2460.234	187.956
198137	6	876.479	0.011	0.876	900.0	788.831	788.831	56.692	\$75.79	\$45.14	198137	3	266.948	0.267	0.004	2100.0	592.241	45.246
198719	3	1218.621	0.016	1.219	900.0	1096.759	1096.759	78.823	\$105.37	\$62.76	198719	3	1218.621	1.219	0.019	2100.0	2703.590	206.548
204942	2	926.881	0.012	0.927	900.0	834.193	834.193	59.952	\$80.14	\$47.74	204942	2	926.881	0.927	0.015	2100.0	2056.345	157.100
206852	3	1239.047	0.016	1.239	900.0	1115.143	1115.143	80.144	\$107.14	\$63.81	206852	3	1239.047	1.239	0.019	2100.0	2748.906	210.010
206853	1	462.681	0.006	0.463	900.0	416.413	416.413	29.927	\$40.01	\$23.83	206853						0.000	0.000
213783	2	926.399	0.012	0.926	900.0	833.759	833.759	59.921	\$80.10	\$47.71	213783	2	926.399	0.926	0.015	2100.0	2055.276	157.018
218970	1	462.681	0.006	0.463	900.0	416.413	416.413	29.927	\$40.01	\$23.83	218970						0.000	0.000
224617	3	771.928	0.010	0.772	900.0	694.735	694.735	49.930	\$66.75	\$39.76	224617	2	309.101	0.309	0.005	2100.0	685.760	52.390
234283	2	926.488	0.012	0.926	900.0	833.840	833.840	59.927	\$80.11	\$47.72	234283	2	926.488	0.926	0.015	2100.0	2055.474	157.033
234284	2	926.553	0.012	0.927	900.0	833.898	833.898	59.931	\$80.12	\$47.72	234284	2	926.553	0.927	0.015	2100.0	2055.617	157.044
235969	3	1390.040	0.018	1.390	900.0	1251.036	1251.036	89.910	\$120.19	\$71.59	235969	2	927.214	0.927	0.015	2100.0	2057.085	157.156
236831	1	133.603	0.002	0.134	900.0	120.243	120.243	8.642	\$11.55	\$6.88	236831						0.000	0.000
244766	2	926.560	0.012	0.927	900.0	833.904	833.904	59.932	\$80.12	\$47.72	244766	2	926.560	0.927	0.015	2100.0	2055.633	157.045
252157	3	819.350	0.011	0.819	900.0	737.415	737.415	52.997	\$70.85	\$42.20	252157	2	356.523	0.357	0.006	2100.0	790.970	60.428
252158	3	1389.371	0.018	1.389	900.0	1250.434	1250.434	89.867	\$120.13	\$71.56	252158	2	926.544	0.927	0.015	2100.0	2055.598	157.043
252159	2	928.218	0.012	0.928	900.0	835.396	835.396	60.039	\$80.26	\$47.81	252159	2	928.218	0.928	0.015	2100.0	2059.311	157.326
255460	2	914.305	0.012	0.914	900.0	822.875	822.875	59.139	\$79.06	\$47.09	255460	2	914.305	0.914	0.014	2100.0	2028.445	154.968
255461	2	901.141	0.012	0.901	900.0	811.027	811.027	58.287	\$77.92	\$46.41	255461	2	901.141	0.901	0.014	2100.0	1999.240	152.737
256535	4	581.286	0.008	0.581	900.0	523.158	523.158	37.599	\$50.26	\$29.94	256535	3	432.838	0.433	0.007	2100.0	960.279	73.363
262470	2	926.554	0.012	0.927	900.0	833.899	833.899	59.931	\$80.12	\$47.72	262470	2	926.554	0.927	0.015	2100.0	2055.620	157.044
270934	3	1061.289	0.014	1.061	900.0	955.160	955.160	68.646	\$91.77	\$54.66	270934	3	1061.289	1.061	0.017	2100.0	2354.538	179.881
272859	2	928.738	0.012	0.929	900.0	835.864	835.864	60.072	\$80.30	\$47.83	272859	2	928.738	0.929	0.015	2100.0	2060.464	

GeoVector Management IP Survey October Expenses

Person	Date	Project	Invoice #	Code	Code 2	Details	Subtotal	GST	Total	IP Costs 50%	Totals
TC	October 12, 2021	Egan	2021-2067	IP/Geology	Food	Sobeys - Meal + groceries	\$43.47	\$4.97	\$48.44	\$21.74	\$1,396.37
IS	October 12, 2021	Egan	2021-2067	IP/Geology	Food	Walmart; Groceries	\$126.43	\$8.46	\$134.89	\$63.22	
TC	October 13, 2021	Egan	2021-2067	IP/Geology	Food	Independent - Groceries for Egan Fieldcrew	\$432.46	\$0.66	\$433.12	\$216.23	
TC	October 13, 2021	Egan	2021-2067	IP/Geology	Food	Walmart - Groceries/Supplies for appartments for Egan Fieldcrew	\$192.60	3 \$23.5	\$216.13	\$96.30	
IS	October 14, 2021	Egan	2021-2067	IP/Geology	Food	Independent; Groceries	\$17.76	\$0.00	\$17.76	\$8.88	
TC	October 15, 2021	Egan	2021-2067	IP/Geology	Food	Independent - Groceries for Egan Fieldcrew:	\$48.27	\$1.27	\$49.54	\$24.14	
EM	October 16, 2021	Egan	2021-2067	IP/Geology	Food	Independent: Supplies Egan	142.35	\$7.33	\$149.68	\$71.18	
BM	October 17, 2021	Egan	2021-2067	IP/Geology	Food	Independent	\$84.90	\$11.04	\$95.94	\$42.45	
EM	October 17, 2021	Egan	2021-2067	IP/Geology	Food	Independent: Supples Egan	\$379.00	\$6.02	\$385.02	\$189.50	
EM	October 17, 2021	Egan	2021-2067	IP/Geology	Food	Pick of the Crop: Groceries Egan	\$285.78	\$2.21	\$287.99	\$142.89	
BM	October 19, 2021	Egan	2021-2067	IP/Geology	Food	Freshmart - Groceries for Egan Fieldcrew:	\$92.45	\$1.21	\$93.66	\$46.23	
TC	October 19, 2021	Egan	2021-2067	IP/Geology	Food	Freshmart - Groceries for Egan Fieldcrew:	\$71.77	\$1.43	\$73.20	\$35.89	
BM	October 22, 2021	Egan	2021-2067	IP/Geology	Food	Pick of the Crop - Groceries	\$129.70	\$6.08	\$135.78	\$64.85	
BM	October 22, 2021	Egan	2021-2067	IP/Geology	Food	Independent	\$128.44	\$1.71	\$130.15	\$64.22	
TC	October 23, 2021	Egan	2021-2067	IP/Geology	Food	Freshmart - Groceries for Egan Fieldcrew:	\$100.78	\$1.88	\$102.66	\$50.39	
IS	October 25, 2021	Egan	2021-2067	IP/Geology	Food	Independent; Groceries	\$516.58	\$8.96	\$525.54	\$258.29	
IS	October 12, 2021	Egan	2021-2067	IP/Geology	Supplies	BNS Corner Gas; Gas	\$54.88	\$7.13	\$62.01	\$27.44	\$528.19
IS	October 14, 2021	Egan	2021-2067	IP/Geology	Supplies	Canadian Tire; Gas	\$88.50	\$11.50	\$100.00	\$44.25	
BM	October 19, 2021	Egan	2021-2067	IP/Geology	Supplies	Alarie Esso; Gas	\$91.12	\$11.85	\$102.97	\$45.56	
EM	October 10, 2021	Egan	2021-2067	IP/Geology	Supplies	Independent: Supplies Egan	\$78.14	\$3.67	\$81.81	\$39.07	
IS	October 12, 2021	Egan	2021-2067	IP/Geology	Supplies	Canadian Tire; Cleaning Supplies	\$4.69	\$0.61	\$5.30	\$2.35	
TC	October 13, 2021	Egan	2021-2067	IP/Geology	Supplies	Dollarama - cleaning/house supplies for Shillington appartments	\$125.73	\$16.34	\$142.07	\$62.87	
IS	October 14, 2021	Egan	2021-2067	IP/Geology	Supplies	Canadian Tire; Cleaning Supplies	\$24.98	\$3.25	\$28.23	\$12.49	
IS	October 14, 2021	Egan	2021-2067	IP/Geology	Supplies	Home Depot; Cleaning supplies	\$45.78	\$5.95	\$51.73	\$22.89	
EM	October 17, 2021	Egan	2021-2067	IP/Geology	Supplies	Dollarama: Egan Kitchen Supplies	\$7.50	\$0.98	\$8.48	\$3.75	
EM	October 17, 2021	Egan	2021-2067	IP/Geology	Supplies	Giant Tiger: Cleaning and Apartment Supplies	102.92	\$13.38	\$116.30	\$51.46	
BM	October 17, 2021	Egan	2021-2067	IP/Geology	Supplies	Walmart: Office Supplies+ Kitchen Supplies	\$140.75	\$18.30	\$159.05	\$70.38	
BM	October 17, 2021	Egan	2021-2067	IP/Geology	Supplies	Walmart: Office Supplies+ Kitchen Supplies	\$55.40	\$7.20	\$62.60	\$27.70	
EM	October 17, 2021	Egan	2021-2067	IP/Geology	Supplies	Walmart: Office Supplies+ Kitchen Supplies	\$170.12	\$22.12	\$192.24	\$85.06	
BM	October 22, 2021	Egan	2021-2067	IP/Geology	Supplies	Giant Tiger	\$30.94	\$4.02	\$34.96	\$15.47	
EM	October 9, 2021	Egan	2021-2067	IP/Geology	Supplies	Canadian Tire: Supplies Egan Apartment	\$34.93	\$4.54	\$39.47	\$17.47	
JC	October 11, 2021	Egan	2021-2067	IP/Geology	Rental	Starlink Satellite System rental Equipment	\$129.00	\$16.77	\$145.77	\$64.50	\$64.50
	October 12, 2021	Egan	2021-2067	IP/Geology	Housing	Lease Agreement - 3 Shillington apartment Units- 2 of 3 are IP(1 and 4)	\$6,210.00	\$487.50	\$6,697.50	\$4,140.00	\$4,140.00
						Total				\$6,129.06	\$6,129.06

No taxes were included in the costs

December Expenses Egan IP Survey

Person	Date	Project	Invoice #	Code	Code 2	Details	Subtotal	GST	Total	2/3 of Cost for IP
BM	14 Dec 2021	Egan	2022-2085	Geophys	Supplies	Esso fuel	\$119.11	\$15.49	\$134.60	\$79.41
BM	14 Dec 2021	Egan	2022-2085	Geophys	Supplies	Canadian Tire-Gas	\$44.28	\$5.76	\$50.04	\$29.52
BM	15 Dec 2021	Egan	2022-2085	Geophys	Rental	Enterprise Truck Rental	\$211.09	\$27.44	\$238.53	\$140.73
AS	15 Dec 2021	Egan	2022-2085	Geophys	Rental	U-Haul rental - Ship equipment and supplies from Egan	\$457.80	\$59.51	\$517.31	\$305.20
						Total	\$832.28		Total	\$554.85

No taxes were included in these calculations

GeoVector Management IP Survey October Expenses

Pg	Person	Date	Project	Invoice #	Code	Code 2	Details	Subtotal	GST	Total	IP 50%	Totals
14	TC	12-Oct-21	Egan	2021-2067	IP/Geology	Food	Sobeys - Meal + groceries	\$43.47	\$4.97	\$48.44	\$21.74	\$1,401.89
14	IS	12-Oct-21	Egan	2021-2067	IP/Geology	Food	Walmart; Groceries	\$126.43	\$8.46	\$134.89	\$63.22	
15	TC	13-Oct-21	Egan	2021-2067	IP/Geology	Food	Independent - Groceries for Egan Fieldcrew	\$432.46	\$0.66	\$433.12	\$216.23	
15	TC	13-Oct-21	Egan	2021-2067	IP/Geology	Food	Walmart - Groceries/Supplies for appartments for Egan Fieldcrew	\$192.60	3 \$23.5	\$216.13	\$96.30	
16	IS	14-Oct-21	Egan	2021-2067	IP/Geology	Food	Independent; Groceries	\$17.76	\$0.00	\$17.76	\$8.88	
16	TC	15-Oct-21	Egan	2021-2067	IP/Geology	Food	Independent - Groceries for Egan Fieldcrew:	\$48.27	\$1.27	\$49.54	\$24.14	
16	EM	16-Oct-21	Egan	2021-2067	IP/Geology	Food	Independent: Supplies Egan	142.35	\$7.33	\$149.68	\$71.18	
17	BM	17-Oct-21	Egan	2021-2067	IP/Geology	Food	Independent	\$95.94	\$11.04	\$95.94	\$47.97	
17	EM	17-Oct-21	Egan	2021-2067	IP/Geology	Food	Independent: Supples Egan	\$379.00	\$6.02	\$385.02	\$189.50	
18	EM	17-Oct-21	Egan	2021-2067	IP/Geology	Food	Pick of the Crop: Groceries Egan	\$285.78	\$2.21	\$287.99	\$142.89	
18	BM	19-Oct-21	Egan	2021-2067	IP/Geology	Food	Freshmart - Groceries for Egan Fieldcrew:	\$92.45	\$1.21	\$93.66	\$46.23	
19	TC	19-Oct-21	Egan	2021-2067	IP/Geology	Food	Freshmart - Groceries for Egan Fieldcrew:	\$71.77	\$1.43	\$73.20	\$35.89	
19	BM	22-Oct-21	Egan	2021-2067	IP/Geology	Food	Pick of the Crop - Groceries	\$129.70	\$6.08	\$135.78	\$64.85	
20	BM	22-Oct-21	Egan	2021-2067	IP/Geology	Food	Independent	\$128.44	\$1.71	\$130.15	\$64.22	
20	TC	23-Oct-21	Egan	2021-2067	IP/Geology	Food	Freshmart - Groceries for Egan Fieldcrew:	\$100.78	\$1.88	\$102.66	\$50.39	
21	IS	25-Oct-21	Egan	2021-2067	IP/Geology	Food	Independent; Groceries	\$516.58	\$8.96	\$525.54	\$258.29	\$528.19
21	IS	12-Oct-21	Egan	2021-2067	IP/Geology	Supplies	BNS Corner Gas; Gas	\$54.88	\$7.13	\$62.01	\$27.44	
22	IS	14-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Canadian Tire; Gas	\$88.50	\$11.50	\$100.00	\$44.25	
22	BM	19-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Alarie Esso; Gas	\$91.12	\$11.85	\$102.97	\$45.56	
23	EM	10-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Independent: Supplies Egan	\$78.14	\$3.67	\$81.81	\$39.07	
23	IS	12-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Canadian Tire; Cleaning Supplies	\$4.69	\$0.61	\$5.30	\$2.35	
24	TC	13-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Dollarama - cleaning/house supplies for Shillington appartments	\$125.73	\$16.34	\$142.07	\$62.87	
24	IS	14-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Canadian Tire; Cleaning Supplies	\$24.98	\$3.25	\$28.23	\$12.49	
25	IS	14-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Home Depot; Cleaning supplies	\$45.78	\$5.95	\$51.73	\$22.89	
25	EM	17-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Dollarama: Egan Kitchen Supplies	\$7.50	\$0.98	\$8.48	\$3.75	
26	EM	17-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Giant Tiger: Cleaning and Apartment Supplies	102.92	\$13.38	\$116.30	\$51.46	
26	BM	17-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Walmart: Office Supplies+ Kitchen Supplies	\$140.75	\$18.30	\$159.05	\$70.38	
27	BM	17-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Walmart: Office Supplies+ Kitchen Supplies	\$55.40	\$7.20	\$62.60	\$27.70	
27	EM	17-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Walmart: Office Supplies+ Kitchen Supplies	\$170.12	\$22.12	\$192.24	\$85.06	
28	BM	22-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Giant Tiger	\$30.94	\$4.02	\$34.96	\$15.47	
28	EM	9-Oct-21	Egan	2021-2067	IP/Geology	Supplies	Canadian Tire: Supplies Egan Apartment	\$34.93	\$4.54	\$39.47	\$17.47	
29	JC	11-Oct-21	Egan	2021-2067	IP/Geology	Rental	Starlink Satellite System rental Equipment	\$129.00	\$16.77	\$145.77	\$64.50	\$64.50
30		12-Oct-21	Egan	2021-2067	IP/Geology	Housing	Lease Agreement - 3 Shillington apartment Units- 2 of 3 are IP(1 and 4)	\$6,210.00	\$487.50	\$6,697.50		\$4,140.00
							Total					\$6,134.58