Ministry of Natural Resources
Ontario

Otto

42A01SE5037 W8108-00319 OTTO

010

required for each type of work to be recorded.

THE MINING ACT REPORT OF WORK

To the Recorder of Larder Lake Mining Division

I, Zarko Vesich A43829 Sreten Vesich A43828
name of Recorded Holder Prospector's Licence

47 ONTARIO AVE. HAMILTON, ONT. 20 ALDRIDGE ST. HAMILTON, ONT.
Post Office Address

do hereby report the performance of 121 days of Diamond drilling
type of work

not before reported to be applied on the following contiguous claims

Claim No.	Days	Claim No.	Days	Claim No.	Days
550302	61				
550303	61				

Geological Branch. ODM
ASSESSMENT FILES
RESEARCH OFFICE
JUL 28/81
RECEIVED

LARDER LAKE
MINING DIV.
RECEIVED
JUL 13 1981
AM 7 8 9 10 11 12 1 2 3 4 5 6 PM

All the work was performed on Mining Claim (s) 550302
(In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations – Names and addresses of the men who performed the work and the dates and hours of their employment.
For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter of core. Name and address of owner or operator of drill. Dates when drilling was done. Signed core log and sketch in duplicate.
For Compressed Air or Other Power Driven or Mechanical Equipment
Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.
For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.
With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.
For Geophysical, Geological, Geochemical Surveys and Expenditure Credits - the name of author of report. Covering dates of survey (linecutting & office). Type of instrument used. Total amount of expenditure. Technical reports, maps, expenditure breakdown, receipts must be filed in duplicate with the Minister within 60 days of recording.
For Land Survey - the name and address of Ontario Land surveyor.

The Required Information is as Follows: (Attach a list if this space is insufficient)

DIAMOND DRILLING - FOOTAGE - 107', 1 hole
MAY 8/81 - MAY 22/81 angle - 45° N. 7/8" diameter.

OWNERS & OPERATORS - ZARKO VESICH - 47 ONTARIO AVE. HAMILTON, ONT.
- SRETEN VESICH - 20 ALDRIDGE ST. HAMILTON, ONT.

Date July 6/81 Signature of Recorded Holder or Agent

The Mining Act
Certificate Verifying Report of Work

I, Zarko Vesich SRETEN VESICH.
47 ONTARIO AVE. HAM. ONT. 20 ALDRIDGE ST. HAM. ONT.
(Post Office Address)

hereby certify:

1. That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto, having performed the work or witnessed same during and/or after its completion.

2. That the annexed report is true.

Dated July 6 1981 Signature

RECORDED JUL 13 1981
REC. No. 13

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND/OR CERTIFICATE IS $500. OR SIX MONTHS IMPRISONMENT OR BOTH

768 (8/77)

File # 550302

42A01SE5037 W8108-00319 OTTO

J. Stephen Hancock
495 Cedarcliffe Drive
Waterloo, Ont.
N2K 2J2
May 29, 1981

Zarko and Sretan Vesich
47 Ontario St.
Hamilton, Ont.
L8N 2X1

Dear Zarko and Vesich

I was today hired by you to describe in detail approximately 107 feet of 7/8 inch diamond drill core from lot 6, concession 3, Otto Township, Ontario. The borehole was inclined 45 degrees to the north to intersect veins trending east-west and dipping about 70 degrees to the south. The following is a description of the core. This when attached to the OGS form will be a satisfactory core description.

Only one unit of syenite, 107 feet thick in the core was present. It consists of subhedral potassium feldspar, 70% of the rock, green pyroxene in euhedral crystals, 30% of the rock. There is a low level alteration of pyroxene to chlorite. The feldspar ground mass contains small veinlets of haematite stained material in interstitial positions. The pyroxene crystatization is earlier than the feldspar. There are paper thin veins of chlorite and haematite at 3 to 12 inch intervals. There are some small 2mm to 20mm quartz veins. The chlorite and haematite veins are younger than the quartz veins. Haematite veins may be largely chlorite veins stained with haematite. There are small 6 inch intervals of greater pyroxene to chlorite alteration. The 67.5 to 70.5 foot interval contains 40 to 45 % pyroxene altered to chlorite. The entire core is prospective for gold and should be assayed.

I hope that this will prove sufficient for assessment purposes.

Sincerely,


J. Stephen Hancock

J. Stephen Hancock
En. BSc. Geology
Member CIMM and SEPM

S. No 3


Mr. Sreten Vesich

20 Aldridge Road
Hamilton
Ontario



TEOR TP. - M.392

9 8 7 6 5 4 3 2



MARQUIS TP. - M.362